


Archaeobiology 1


The Archaeology of Mesoamerican Animals

edited by Christopher M. Götz and Kitty F. Emery



LOCKWOOD PRESS

THE ARCHAEOLOGY OF MESOAMERICAN ANIMALS



Archaeobiology

Sarah Whitcher Kansa, editor

Number 1
The Archaeology of Mesoamerican Animals

THE ARCHAEOLOGY OF MESOAMERICAN ANIMALS

edited by

Christopher M. Götz

and

Kitty F. Emery

Lockwood Press
Atlanta, Georgia

All rights reserved. No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording, or by means of any information storage or retrieval system, except as may be expressly permitted by the 1976 Copyright Act or in writing from the publisher. Requests for permission should be addressed in writing to Lockwood Press, P.O. Box 133289, Atlanta, GA 30333, USA.

© 2013 by Lockwood Press

ISBN: 978-1-937040-05-5

Library of Congress Control Number: 2013952375

This paper meets the requirements of ANSI/NISO Z39.48-1992
(Permanence of Paper).

CONTENTS

LIST OF FIGURES	ix
LIST OF TABLES	xix
ABBREVIATIONS	xxv
1: CHRISTOPHER M. GÖTZ Introduction	1
Northwest Area and Central Plateau	
2: ELIZABETH S. WING Dog Remains from the Marismas Nacionales	23
3: BERNARDO RODRÍGUEZ GALICIA AND RAÚL VALADEZ AZÚA Coastal Resources in the City of the Gods	49
4: EDUARDO CORONA-MARTÍNEZ Birds of the Pre-Hispanic Domestic Spheres of Central Mexico	81
5: TANYA M. PERES, AMBER M. VANDERWARKER, AND CHRISTOPHER A. POOL The Zooarchaeology of Olmec and Epi-Olmec Foodways along Mexico's Gulf Coast	95
6: HEATHER A. LAPPHAM, ANDREW K. BALKANSKY, AND AYLA M. AMADIO Animal Use in the Mixteca Alta, Oaxaca, Mexico	129
7: HEATHER A. LAPPHAM, GARY M. FEINMAN, AND LINDA M. NICHOLAS Animal Economies in Pre-Hispanic Southern Mexico	153
Northern Maya Lowlands	
8: CHRISTOPHER M. GÖTZ AND TRAVIS W. STANTON The Use of Animals by the Pre-Hispanic Maya of the Northern Lowlands	191

- 9: MARILYN A. MASSON AND CARLOS PERAZA LOPEZ 233
Animal Consumption at the Monumental Center of Mayapán
- 10: RANI T. ALEXANDER, JOHN A. HUNTER, SEAN ARATA,
RUTH MARTÍNEZ CERVANTES, AND KRISTEN SCUDDER 281
Archaeofauna at Isla Cilvituk, Campeche, Mexico:
Residential Site Structure and Taphonomy in Postclassic
Mesoamerica

Southern Maya Lowlands and Maya Highlands

- 11: CORAL MONTERO LÓPEZ 315
Inferring the Archaeological Context through Taphonomy:
The Use of the White-Tailed Deer (*Odocoileus virginianus*) in
Chinikihá, Chiapas
- 12: ERIN KENNEDY THORNTON AND OLIVIA NG CACKLER 351
Late-Nineteenth and Early Twentieth-Century Animal Use
by San Pedro Maya and British Populations at Holotunich,
Belize
- 13: KITTY F. EMERY, ERIN KENNEDY THORNTON, NICOLE R.
CANNAROZZI, STEPHEN HOUSTON, AND HÉCTOR ESCOBEDO 381
Archaeological Animals of the Southern Maya Highlands:
Zooarchaeology of Kaminaljuyu

Mesoamerica's Southern Neighbors

- 14: DAVID N. REWIAK, PAUL F. HEALY, AND MORGAN TAMPLIN 417
Preliminary Analysis of the Zooarchaeology of the San Cristóbal
Site, Nicaragua: The Bounty of Mohammed's Paradise
- 15: DIANA ROCÍO CARVAJAL CONTRERAS 443
Molluscs as Food in a Prolific Coastal Environment: Evidence
for Selective Foraging and Taphonomy from Cueva de los
Vampiros (Central Panama)
- 16: RICHARD G. COOKE, DAVID W. STEADMAN, MÁXIMO JIMÉNEZ,
AND ILEAN ISAZA AIZPURÚA 479
Pre-Columbian Exploitation of Birds around Panama Bay

17: ELIZABETH RAMOS ROCA	531
Crawling and Walking at the Same Time: Challenges in “Animal Archaeology” in Northern South America	

Taxonomic Reviews of Mesoamerican Fauna

18: RAÚL VALADEZ AZÚA, ALICIA BLANCO PADILLA, BERNARDO RODRÍGUEZ GALICIA, AND GILBERTO PÉREZ ROLDÁN	557
The Dog in the Mexican Archaeozoological Record	
19: LAURA NAVARRO AND JOAQUÍN ARROYO-CABRALES	583
Bats in Ancient Mesoamerica	
20: KITTY F. EMERY	607
Conclusion: From Zooarchaeological Remains to a Human Context	
REFERENCES CITED	631
LIST OF CONTRIBUTORS	721
SUBJECT INDEX	725
INDEX OF PLACES	743
TAXONOMIC INDEX	749

DIGITAL COMPANION

Digital content related to this volume is published in *The Archaeology of Mesoamerican Animals Online* accessible at the following link: <http://opencontext.org/projects/21A79037-01EA-4CBB-7048-6AA054FB4A0D> (<http://dx.doi.org/10.6078/M7KW5CX5>)

LIST OF FIGURES

CHAPTER 1

- Figure 1. Map of cultural areas mentioned in the book. Drawing by Alejandro García Franco. 2
Figure 2. Map of sites and archaeological contexts mentioned in the book. Drawing by Alejandro García Franco. 4–5

CHAPTER 2

- Figure 1. Map of the Marismas Nacionales with modern towns and archaeological sites indicated. Map courtesy of Michael Foster, Marismas Nacionales Archaeology Project. 25
Figure 2. Spindle whorl from the Marismas Nacionales, Accession EAP 0078, Florida Museum of Natural History. Photograph created using a high-resolution BK Lab System camera created by Visionary Digital (visionarydigital.com). 26

CHAPTER 3

- Figure 1. Map of the city of Teotihuacán, indicating the location of Teopancazco through an “X” in sector S2 E2. Image from Millon 1970, modified by Christopher M. Götz. 51
Figure 2. Some of the archaeozoological items recovered from the study site: a) right dentary of a barracuda, b) right dentary of a snapper, c) upper tooth of a bull shark, d) claw fragment of a blue crab, e) claw fragment of a red crab, f) carved skeletal fragment of a sea urchin, g) cranial element of a bobo fish, and h) subdermal plates of a crocodile. Photography by Rafael Reyes. 54–55
Figure 3. Teopancazco element frequency identified by number and type. Figure by Bernardo Rodríguez Galicia. 65
Figure 4. Access routes from Teotihuacán to the coastal resources on the Gulf of Mexico. Route 1) North-central Veracruz; Route 2) South-central Veracruz, to the Maya area. Drawing by Alejandro García Franco. 72
Figure 5. Mural painting at Teopancazco showing a priest processing next to an altar (right) with clothing that includes elements alluding to the sea, such as starfish and seashells. The act includes prayers (speech scroll coming out of the mouth) while throwing seeds with the right hand, indicating a link between agricultural and marine life. Image redrawn from Manzanilla and Chapdelaine 2009:Fig. 2.5 by Alejandro García Franco. 77

CHAPTER 4

Figure 1. Proportion of cultural exploitation and bird diversity in recorded domestic spheres.	89
--	----

CHAPTER 5

Figure 1. Map of the southern Gulf coast with the study sites. Map by VanDerwarker.	96
Figure 2. Diversity (H') and Equitability (V') results by site.	113
Figure 3. Diversity (H') and Equitability (V') results by temporal period.	114
Figure 4. Percentage of aquatic taxa (MNI) in nonelite assemblages.	125

CHAPTER 6

Figure 1. Map of Oaxaca showing the location of Tayata and other sites mentioned in the text. Illustration by Andrew Balkansky.	130
Figure 2. Topographic map of Area A at Tayata with Houses 1, 2, and 4 marked. Illustrated by Andrew Balkansky.	134
Figure 3. Two modified dorsal fish spines from House 1, (a) one broken specimen and one complete specimen with the (b) posterior and (c) anterior aspects shown. Photographs by Heather Lapham.	140
Figure 4. Distribution of dog body parts b household at Tayata, including (a) and excluding (b) axial elements.	142
Figure 5. Dog maxilla from House 4 with an elongated caries on the first molar. Photograph by Heather Lapham.	144
Figure 6. Select dog bones from Burial 1 in House 4, (a) left skull frontal, (b) right maxilla, (c) left mandible, (d) distal left tibia with cut marks, and (e) left humerus. Photographs by Heather Lapham.	145
Figure 7. View of the valley from Area B at Tayata. Photograph by Ayla Amadio.	146
Figure 8. Map of Area B at Tayata showing the location of the <i>temazcal</i> and the human burials. All quadrants referenced in the text can be located using the letters and numbers printed along the top and left side of the figure. Illustration by Andrew Balkansky.	148

CHAPTER 7

Figure 1. Map of the Oaxaca and Ejutla Valleys showing the location of sites mentioned in the text. Illustrated by Linda Nicholas.	157
Figure 2. Plan of El Palmillo showing the location of the excavated terraces. Illustration by Linda Nicholas.	162
Figure 3. Plan of the Mitla Fortress showing the location of the excavated terraces. Illustrated by Linda Nicholas.	164

Figure 4. Comparison of the main taxa during the Archaic at Guilá Naquitz. Data from Table 3.	167
Figure 5. Comparison of the main taxa during the Formative, (a) San José Mogote, (b) Fábrica San José, and (c) Santo Domingo Tomaltepec. Data from Table 3. Period and phase abbreviations are as follows: EF (Early Formative), MF (Middle Formative), LF (Late Formative), ESJ (Early San José), MSJ (Middle San José), LSJ (Late San José), EG (Early Guadalupe), LG (Late Guadalupe), R (Rosario), MAEI (Monte Albán Early I), and MALI (Monte Albán Late I).	170
Figure 6. Comparison of the main taxa during the Classic and Early Postclassic, (a) Ejutla, (b) El Palmillo, and (c) the Mitla Fortress. Data from Table 3. Period abbreviations are as follows: EC (Early Classic), MC (Middle Classic), LC (Late Classic), LC/EP (Late Classic/Early Postclassic), and EP (Early Postclassic).	174
Figure 7. Rabbits and other taxa compared by %NISP among El Palmillo households. Data from Table 6. Households are ordered by terrace elevation: lower sector (T. 1162, T. 1163, and T. 1147), lower-middle sector (T. 925), middle-upper sector (T. 507), and top precinct (T. 335, St. 35, and Pl. 11).	184
Figure 8. Cottontails and jackrabbits compared by %NISP among El Palmillo households. Data from Table 6. Households are ordered by terrace elevation: lower sector (T. 1162, T. 1163, and T. 1147), lower- middle sector (T. 925), middle-upper sector (T. 507), and top precinct (T. 335, St. 35, and Pl. 11).	184

CHAPTER 8

Figure 1. Graph indicating the relative abundance of the most common taxa found at the six middens (drawn by Christopher M. Götz). Note: The relative abundance shown is based on the natural log of the %NISP, following O'Connor 2003:138–139.	210
Figure 2. Monument 1 from Kancabdzonot, near Yaxuná (drawn by Travis W. Stanton).	227

CHAPTER 9

Figure 1. The epicentral monumental zone of Mayapán, illustrating structures from which animal-bone assemblages were analyzed (modified from Jones 1962).	235
Figure 2. Map of the walled portion of Mayapán, showing the location of outlying residences excavated by INAH from which animal-bone assemblages were analyzed (modified by Timothy Hare from Jones 1962).	236
Figure 3. The frequencies of uncommon aquatic animals, namely, crocodiles, sharks, and stingrays—in all contexts where they occur in the INAH	

sample of Mayapán. Frequencies are all low (less than 0.7%). Adjacent buildings belonging to the same groups are listed sequentially along the x-axis—gaps between buildings separate architectural groups. This format is the same for Figures 4–6.	248
Figure 4. Frequencies of peccary, brocket deer, dog, and white-tailed deer in buildings in which they occur in outlier proportions at Mayapán—arranged along x-axis by building group. Table 3 lists all of the contexts with these taxa, including outliers shown here.	248
Figure 5. Frequencies of iguana, bird (not identified as turkey), and turkey in buildings in which they occur in outlier proportions at Mayapán—arranged along x-axis by building group. Table 3 lists all of the contexts with these taxa, including outliers shown here.	249
Figure 6. Fish, rabbit, gopher, and turtle in buildings in which they occur in outlier proportions at Mayapán—arranged along x-axis by building group. Table 5 lists all of the contexts with these taxa, including outliers shown here.	249
Figure 7. Animal figurines and stone sculptures from Mayapán public buildings. Examples A and B illustrate snake and dog ceramic figurines from the center, examples C and D illustrate dog and turkey stone sculptures from the outlying Itzmal Ch'en group (Hall H-15 and Temple H-17 respectively). Illustration by Wilberth Cruz Alvarado, photos by Bradley Russell.	268
Figure 8. Proportions of the axial skeleton for the most common taxa found in the combined INAH samples discussed in this article. The presence of ribs, vertebrae, shoulder, and pelvis indicate that much of the meat-bearing portions of the axial skeleton are present. Discrepancies in skull frequencies are discussed in the text and in Masson and Peraza 2008). Patterns for individual buildings are parallel to this composite sample (Masson and Peraza Lope 2013).	270
Figure 9. Proportions of the appendicular skeleton for the most common taxa found in the combined INAH samples discussed in this article. As expected, meat-bearing limbs are present, as well as foot elements that are shown as part of haunch offerings of meat in Maya codices. Patterns for individual buildings are parallel to this composite sample (Masson and Peraza Lope 2013).	270

CHAPTER 10

Figure 1. Ecological Setting (map by Rani Alexander).	283
Figure 2. Site Plan of Isla Cilvituk (map by Rani Alexander).	291
Figure 3. Sector 12E at Isla Cilvituk (map by Rani Alexander).	293
Figure 4. Anatomical part representation of Osteichthyes (illustration by John Hunter).	300

Figure 5. Anatomical part representation of Testudinata (illustration by John Hunter).	301
Figure 6. Anatomical part representation of Cervidae (illustration by John Hunter).	302
Figure 7. Anatomical part representation of <i>Canis</i> sp (illustration by John Hunter).	303
Figure 8. Anatomical part representation of Galliformes (illustration by John Hunter).	304

CHAPTER 11

Figure 1. Test pit distribution for Operations 1, 2, and 3 behind the Palacio (modified from Liendo et al. 2005:Figure 1).	327
Figure 2. Placement of cut marks on each white-tailed deer bone (marked in black). (Modified from Reitz and Wing 1999:Figure 6.7.)	332
Figure 3. Frequency of human markings on white-tailed deer from the problematic context at Chinikihá. The letter “c” represents the cuts, while “chop” refers to where this action occurred. (Modified from Reitz and Wing 1999:Figure 7.11.)	333
Figure 4. Taphonomic modifications present in the materials from the midden at Chinikihá. Graph by the author.	335
Figure 5. Bone distribution according to the utility index.	344
Figure 6. Bone distribution by presence/absence of meat.	347

CHAPTER 12

Figure 1. Map showing the location of Holotunich and other sites mentioned in text. Map by Thornton.	354
Figure 2. Percent NISP burnt/charred at Holotunich by excavation operation.	362
Figure 3. Percent NISP at Holotunich by taxonomic class.	365
Figure 4. Percent wild, domesticated, and unidentified mammalian remains at Holotunich by NISP.	366
Figure 5. Site map showing the locations of excavation operations at Holotunich, Belize. Map by Ng.	368
Figure 6. Percent NISP by taxonomic class from features identified at Holotunich, Belize.	370
Figure 7. Percent NISP of major taxa identified in stata A and B at Holotunich. Stratum A is most likely associated with the BEC logging camp, while stratum B is likely more associated with the San Pedro Maya settlement.	372

CHAPTER 13

Figure 1. Map of Mesoamerica with Kaminaljuyu and other sites mentioned in the text. Map by Emery.	383
Figure 2. Chronology of the Kaminaljuyu site.	384
Figure 3. Map of the site of Kaminaljuyu, adapted from Sanders 1969 by Emery, to show the location of the Parque Kaminaljuyu project excavations and other excavations from which comparative samples will be discussed. This chapter primarily presents analyses of animal remains from the Parque Kaminaljuyu project excavations.	385
Figure 4. Detailed map of the Parque Kaminaljuyu showing the excavation regions and units of the Parque Kaminaljuyu project excavations. Map by the Proyecto Arqueológico Parque Kaminaljuyu, modified by Emery to reflect zooarchaeological analytical units.	386
Figure 5. Proportion of specimens in the Parque Kaminaljuyu excavation region collected from deposits of mixed chronology.	397
Figure 6. Proportion of each taxonomic class in the Parque Kaminaljuyu remains.	400
Figure 7. Proportion of each mammalian taxa in the Parque Kaminaljuyu remains.	400

CHAPTER 14

Figure 1. Map of the northern portion of the Intermediate Area detailing sites identified in Nicaragua (after Healy, Stross, and Michel 1996: Figure 13.1). Illustration by Michael Stringer and Erika Range.	420
Figure 2. Map of the Greater Nicoya Subarea, detailing the location of San Cristóbal (after McCafferty and Steinbrenner 2005:Figure 1). Illustration by Michael Stringer and Erika Range.	422
Figure 3. Charts of the identified fauna of San Cristóbal by Class.	425
Figure 4. Map of the distribution of the major environmental zones in Nicaragua (after Taylor 1963: 33).	437

CHAPTER 15

Figure 1. Map showing the location of the Vampiros-1 and Vampiros-2 shelters with respect to other pre-Columbian sites around Parita. Map from Sánchez Herrera 1995, modified by the author.	445
Figure 2. Stratigraphic profile of Macrounit 1 and 2, Vampiros-2 (north wall) and Vampiros-1 (east wall) including columns 1 and 3 (facing page). Image from Carvajal Contreras, Jiménez, and Cooke 2008:Figure 5, modified by the author.	446–447
Figure 3. Location of Vampiros-1 and 2. Top: Cross section of Vampiros-1 and 2). Center: View of the east wall and north wall with the 2005	

columns. Bottom: Map of Vampiros-1 and Vampiros-2 showing excavations units 1982–2006 (TP) and column samples 2005 #1 , # 2 (left), and # 3 (right). Photographs by the author and illustrations modified from Pearson and Cooke 2007:49, Figure 45 and Pearson 2002b; used with permission.	449
Figure 4. Percentage of mollusc remains in macrournit 1 at Vampiros-1 and Vampiros-2 by weight. Illustration by the author.	452
Figure 5. Percentage of mollusc remains in macrournit 2a at Vampiros-1 and Vampiros-2 by weight. Illustration by the author.	453
Figure 6. Percentage of mollusc remains in macrournit 2b at Vampiros-1 and Vampiros-2 by weight. Illustration by the author.	454
Figure 7. Exploited habitats at Vampiros-1 (MNI). Illustration by the author.	457
Figure 8. Exploited habitats at Vampiros-2 (MNI). Illustration by the author.	458
Figure 9. <i>Polinices otis</i> box plots. The line indicates Keen's average height and the number enclosed in the box is the MNI. Illustration by the author.	459
Figure 10. <i>Pitar paytensis</i> box plots. The line indicates Keen's average length and the number enclosed in the box is the MNI. Illustration by the author.	459
Figure 11. <i>Natica unifasciata</i> box plots. The line indicates Keen's average height and the number enclosed in the box is the MNI. Illustration by the author.	461
Figure 12. <i>Grandiarca grandis</i> box plots. The line indicates Keen's average length and the number enclosed in the box is the MNI. Illustration by the author.	461
Figure 13. <i>Thais kiosquiformis</i> box plots. The line indicates Keen's average height and the number enclosed in the box is the MNI. Illustration by the author.	462
Figure 14. <i>Protothaca asperrima</i> box plots. The line indicates Keen's average length and the number enclosed in the box is the MNI. Illustration by the author.	462
Figure 15. <i>Anadara tuberculosa</i> box plots. The line indicates Keen's average length and the number enclosed in the box is the MNI. Illustration by the author.	463
Figure 16. Completeness ranges among taxa at Vampiros-1 and Vampiros-2. Illustration by the author.	464
Figure 17. Heat treatment among taxa at Vampiros-1 and Vampiros-2. Illustration by the author.	466
Figure 18. Mollusc remains with abrasion per subunit in each macrournit and shelter by weight. Illustration by the author.	467
Figure 19. Mollusc remains with acid dissolution per subunit in each macrournit and shelter by weight. Illustration by the author.	568
Figure 20. Mollusc remains with encrustation per subunit in each macrournit and shelter by weight. Illustration by the author.	569

Figure 21. Paired mollusc remains per subunit in each macrounit and shelter by weight. Illustration by the author.	470
Figure 22. Mollusc remains with natural perforation per subunit in each macrounit and shelter by weight. Illustration by the author.	471
Figure 23. Shell ornament found at Vampiros-1. Photo by the author.	476

CHAPTER 16

Figure 1. Geographical location of archaeological sites around Parita Bay and in the Pearl Islands, Panama, which have provided bird archaeofaunas. Inset: map of Panama showing the location of other pre-Columbian sites with archaeofaunas, and prominent geographical features.	481
Figure 2. Map of Cerro Juan Díaz, within site LS-3, Los Santos, Panama, showing the location of excavation units (“operations”) excavated from 1992 to 2001. Above 10 m contour intervals are at 2 m. Map by Cooke and Isaza.	515
Figure 3. Frequency of aquatic and terrestrial bird taxa present in archaeofaunal samples from Cerro Juan Díaz based on minimum numbers of individuals (MNI) in each category, aggregated by feature.	516
Figure 4. Left: Effigy vase depicting an owl. Cerro Juan Díaz. Operation 6 (grave). Charred material on this vessel’s interior rim gave an AMS date of 1120 ± 40 BP (cal 810–840 CE and cal 860–1000 CE at 2σ ; Beta-154373). Right: two tropical screech owls (<i>Megascops choliba</i>) at the archaeological site of El Caño, 2009. Photos: R. G. Cooke.	522

CHAPTER 17

Figure 1. Map of Colombia showing the location of the departments in the Caribbean region and the Altiplano Cundiboyacense (modified from the Colombian physical-political map by the Instituto Geográfico Agustín Codazzi at http://geoportal.igac.gov.co/ssigl2.0/visor/galeria.req?mapaId=7&title=Mapa%20Base).	536
Figure 2. Map of the Colombian Caribbean region with the names of some of the places discussed in the text (modified from the Colombian physical-political map by the Instituto Geográfico Agustín Codazzi at http://geoportal.igac.gov.co/ssigl2.0/visor/galeria.req?mapaId=7&title=Mapa%20Base)	546

CHAPTER 18

Figure 1. Archaeological sites in Mexico where dog remains have been reported (see Table 2). Map by Gilberto Pérez Roldán for the Laboratory of Paleozoology of the Instituto de Investigaciones Antropológicas, UNAM.	561
--	-----

Figure 2. Common dog, female, killed at approximately one year old, skinned, quartered, boiled, consumed, and finally the bones were reunited and arranged in anatomical position next to a human deceased with incisor mutilation resembling those of a canid. The specimen is approximately 2,500 years old (Valadez Azúa, Gamboa et al. 2004). Photography by Rafael Reyes for the Laboratory of Paleozoology of the Instituto de Investigaciones Antropológicas, UNAM.	565
Figure 3. Complete skeleton of a hybrid of wolf and dog, of about five months of age, discovered in a cyst associated with the Templo Mayor, Mexico. The duality of the Templo Mayor, which referred to the cult of gods of rain and war, was also manifested through this type of dog. The wolf part of the hybrid was associated with war, and the dog part with agriculture and water (see Blanco Padilla et al. 2006). Photography by Rafael Reyes for the Laboratory of Paleozoology of the Instituto de Investigaciones Antropológicas, UNAM.	568
Figure 4. Types of Mesoamerican dogs identified by the authors up to 2007. Illustrations by César Fernández for the Laboratory of Paleozoology of the Instituto de Investigaciones Antropológicas, UNAM. a) Common dog; b) hairless dog; c) <i>tlalchichi</i> , short-legged dog; d) Maya dog; e) dog-wolf hybrid.	574–575

CHAPTER 19

Figure 1. Representation of the anatomy of a bat, indicating the most important characteristics. Image from Wilson 2002 modified by Alejandro García Franco.	585
Figure 2. Tablet of the eastern ballcourt of Xochicalco, state of Mexico. Photography courtesy of Eduardo Corona-Martínez; modified by Alejandro García Franco.	588
Figure 3. Zapotec funerary urn depicting the bat god Piquete Ziña. Tomb 12, Building II, San José Mogote, Oaxaca, Mexico. Illustration by Laura Navarro Noriega and Joaquín Arroyo-Cabralles.	590
Figure 4. Mask of the bat god, Zapotec culture. Photography by Tadeo Velandia Silva.	591
Figure 5. Vessel from central Veracruz; Xalapa Anthropological Museum. Photograph by María de Jesús Teniente Franco, modified by Alejandro García Franco.	592
Figure 6. Bat whistle from Los Cerros, Veracruz. Xalapa Anthropological Museum. Photograph by María de Jesús Teniente Franco, modified by Alejandro García Franco.	593
Figure 7. Whistle from Jaina Island, Campeche, with a bat head, headdress, and human body. Illustration by Laura Navarro Noriega and Joaquín Arroyo-Cabralles.	594
Figure 8. Painted plate with four bats found in Balam Kú, Campeche, Mexico.	

Photography used under Creative Commons License from http://commons.wikimedia.org/wiki/File:Plato_policromado_de_murciélagos.JPG .	595
Figure 9. Different representations of bat faces in pre-Hispanic art. Images from Seler 1904:32, Figure 49 and Barthel 1968:Figure 6, modified by the authors.	596
Figure 10. Signature of the artisan of lintel 46, structure 44, Yaxchilan, Chiapas, Mexico. Image taken from Grube 2001:339, Figure 532, modified by Alejandro García Franco.	597
Figure 11. A glyph from the Mayan city-state of Copán showing a bat. Image taken from Grube 2001:120, Figure 183, modified by Alejandro García Franco.	598
Figure 12. The months of the <i>haab</i> calendar, of 365 days; one month is represented by a bat, <i>sotz</i> . Image taken from Grube 2001:134, Figure 209, modified by Alejandro García Franco.	598
Figure 13. <i>Tlacatzinacantli</i> , the head-ripping bat, demon of the East. Image taken from Seler 1904:236, Figure 49b. Online: http://www.archive.org/stream/mexicancentralam00bowd#page/236/mode/2up , modified by Alejandro García Franco.	600
Figure 14. <i>Tlacatzinacantli</i> , the head-ripping bat, demon of the East. Image taken from Seler 1904:236, Figure 49c. Online: http://www.archive.org/stream/mexicancentralam00bowd#page/236/mode/2up , modified by Alejandro García Franco.	601
Figure 15. Another <i>Tlacatzinacantli</i> , a possible head-ripping bat, demon of the East. Image taken from Seler 1904:236, Figure 49a. Online: http://www.archive.org/stream/mexicancentralam00bowd#page/236/mode/2up , modified by Alejandro García Franco.	602

LIST OF TABLES

CHAPTER 2

Table 1. Summary of dog remains as number of specimens (NISP) and minimum number of individuals (MNI). The samples are listed in order of sample size (NISP, number of identified specimens).	29
Table 2. Summary of measurements of dog remains excavated from Marismas Nacionales sites. Sites are sorted from largest to smallest mean within each element category. Measurements follow Haag (1948).	32
Table 3a. Estimated live weight of Marismas Nacionales dogs, presented in order of size. Calculations in this table are based on mean values for all specimens recovered including those not classified as burials. Detailed metrics for burial specimens are presented in the digital companion.	38
Table 3b. Site comparisons of live weight estimates using different allometric formulae and constants. N is the number of measures, sometimes taken from a single specimen. Heaviest and lightest averages are indicated by shading for the overall site comparison (top). The weights for dogs from the center and periphery of Chalpa are presented separately (bottom).	41
Table 4. Comparative measures for dog remains from the Chalpa site center and periphery areas. Measurements follow Haag 1948.	42

CHAPTER 3

Table 1. Chronology of Teotihuacán.	50
Table 2. List of organisms identified in Teopancazco, located by zones and MNI. Table by Bernardo Rodríguez Galicia.	58
Table 3. Frequency of fish elements identified in Teopancazco. Table by Raúl Valadez Azúa.	62
Table 4. List of nonnative vertebrate species and nonmollusc invertebrates, identified by taxa, genus, and species. Table by Bernardo Rodríguez Galicia.	68
Table 5. Fish and crab taxa with seasonal reproductive cycles, and the time of the year in which they are found in coastal lagoons. Table by Bernardo Rodríguez Galicia.	75

CHAPTER 4

Table 1. Birds recorded in the domestic sphere by indigenous name. IAt = Exploitation Index by taxon; IAtr = relative Exploitation Index by taxon (expressed by percentage); CnotAX = nontaxonomic assigned category
--

(ac = aquatic; pyc = predatory and scavenger birds; trp = non-Passeriformes terrestrial birds; tp = Passeriformes terrestrial birds; uses (a= food; m=medicinal; p= raw materials; o = decoration; c= song).	86
Table 2. Identification Comparisons. Indigenous name records are shown according to the spelling in the historic sources and works of consulted authors. The results are grouped by level of identification.	88

CHAPTER 5

Table 1. Contextual summary of the study sites.	98
Table 2. Ecological Orientation and NISP for taxa identified at sites discussed in the text.	106
Table 3. Diversity (H') ^a and Equitability (V') results for the study sites.	112
Table 4. Percentage of aquatic taxa (MNI) for the study sites.	112
Table 5. Summary of identified taxa from elite contexts, Tres Zapotes.	119
Table 6. Summary of identified taxa from nonelite contexts, Tres Zapotes.	121
Table 7. Diversity (H') and Equitability (V') results for nonelite assemblages.	124

CHAPTER 6

Table 1. Formative and Classic period chronology for the Mixteca Alta and Valley of Oaxaca.	132
Table 2. Area A Fauna by Period.	136

CHAPTER 7

Table 1. Oaxaca and Ejutla Valley sites with animal remains discussed in the text.	156
Table 2. Chronological Sequence for Oaxaca and Mesoamerica.	159
Table 3. Comparison of Main Taxa by Site, Period, and Phase.	168
Table 4. El Palmillo Fauna by Phase.	176
Table 5. Mitla Fortress Fauna by Phase.	178
Table 6. Comparison of Cottontails and Jackrabbits by Household at El Palmillo.	182

CHAPTER 8

Table 1. Number of identified animal specimens (NISP) recovered at the various sites and archaeological contexts of this study.	197
Table 2. Taxonomic profiles of the six middens considered in this article.	202
Table 3. The faunal specimens associated with Burial 19, Structure 6F-3, Yaxuná.	214
Table 4. The faunal specimens from Structure 6F-37, Yaxuná.	217
Table 5. Faunal specimens from the Osario at Chichén Itzá.	220

CHAPTER 9

Table 1. Contexts with uncommon aquatic taxa.	243
Table 2. Contexts with uncommon mammals and armadillos.	246
Table 3. Contexts with common animals (% of identified bone). Outliers shaded in gray. Samples with 50 or more bones.	254
Table 4. Means and standard deviations for monumental center fauna (for sample sizes of 50 or more bones).	258
Table 5. Contexts with fish, gopher, rabbit, and turtle. Outliers shaded in gray.	262
Table 6. Contexts with outlier frequencies organized (shaded) according to associated building groups. Gray and white bands indicate buildings belonging to the same architectural groups.	264
Table 7. Percentage of dog in PEMY domestic contexts (those with 50 or more faunal bone fragments).	269
Table 8. Proportion of the body represented for the most-common animals in the composite sample.	275

CHAPTER 10

Table 1. Taxonomic abundance of Isla Cilvituk vertebrate fauna assemblage.	297
Table 2. Taxonomic abundance of Isla Cilvituk's molluscan assemblage.	299
Table 3. Distribution of MNI of selected taxa across house-lot zones.	305
Table 4. Distribution of burned fauna remains across house-lot zones.	305
Table 5. Distribution of weathered fauna remains across house-lot zones.	306

CHAPTER 11

Table 1. Tentative chronology for Palenque and Chinikihá (modified from Hammond and Ashmore 1981:Figure 2.2).	326
Table 2. NISP and MNI from the problematic context at Chinikihá.	330
Table 3. Comparison between markings and the different agents that cause them.	334
Table 4. Element distribution within the problematic context (NISP).	338

CHAPTER 12

Table 1. Taxa identified in the Holotunich faunal assemblage according to NISP.	360
Table 2. Percent (%) NISP burnt or charred by archaeological feature.	364
Table 3. Density (NISP/m ³) and percentage (% total site NISP) of faunal remains recovered from excavation operations at Holotunich, Belize.	369
Table 4. Taxa present (X) or absent in the upper and lower strata at Holotunich, Belize.	374

CHAPTER 13

Table 1. Taxonomy of the Kaminaljuyu assemblage including NISP and NISP/class.	392
Table 2a. Distribution of remains by chronological period (all assemblages).	394
Table 2b. Distribution of remains among subassemblages used in the chronological comparison (mixed assemblages were not included).	396
Table 3. Taphonomic characters of the Parque Kaminaljuyu assemblage.	398
Table 4. Distribution of dog remains from the Parque Kaminaljuyu across excavation regions and chronological periods.	402
Table 5. Proportion of selected taxa in chronological context (some taxa are grouped).	403
Table 6. Proportion of selected taxa in spatial context (some taxa are grouped).	406

CHAPTER 14

Table 1. Chronology of Greater Nicoya Subarea (after McCafferty and Steinbrenner 2005).	423
Table 2. Faunal Remains of San Cristóbal by Taxa (after Rewniak 2006: Table 4).	426

CHAPTER 15

Table 1. Frequent bivalves and gastropods at Vampiros-1 and Vampiros-2.	456
---	-----

CHAPTER 16

Table 1. Archaeological sites around Parita Bay and on the Pearl Island archipelago, Panama, where taxonomically significant bird remains have been reported.	482
Table 2. Bird taxa exploited by pre-Columbian humans around Parita Bay and in the Pearl Island Archipelago, Panama, with observations on habitat and current status on the isthmus (synthesized from Angehr and Dean 2010).	484
Table 3. Distribution of bird genera and species at ten archaeological sites around Panama Bay by NISP (Sp) and MNI (I). NISP and MNI have been aggregated from features and/or strata identified at each site.	494
Table 4. Taxonomically significant bird bones reported at Cerro Juan Diaz (LS-3), Azuero Peninsula, Panama, showing their distribution in nine “operations” (excavation units) across the site. MNI are aggregated from individual features within each operation.	509

CHAPTER 17

Table 1. Some of the more common species at Colombian Caribbean archaeological sites. Information on threat degree included. IUCN Global Categories (2011): CR: Critically Endangered; EN: endangered species; VU: Vulnerable; NT: Near Threatened; LC: Least Concern; DD: Data Deficient; NE: Not Evaluated.	548
Table 2. Representation of reptiles in excavation unit 3 and 4 of the site of Túbará, Departamento del Atlántico (Ramos and Archila Montañés 2008).	550–551

CHAPTER 18

Table 1. Comparison of dog (<i>Canis familiaris</i>) and white-tailed deer (<i>Odocoileus virginianus</i>) abundance during the different Teotihuacán Valley cultural phases (based on Valadez Azúa 1992b, 2009b). The figures show the abundance and persistence with which dog remains are found in the archaeological context.	559
Table 2. Archaeological sites in Mexico where dog remains have been reported.	562
Table 3. Archaeological sites in Mexico where dog remains have been reported, the recognizable individuals found, and diverse information derived from their study.	566
Table 4. Outline of possible dog uses at pre-Hispanic sites based on the characteristics of the discovered remains and the associated context.	573

ABBREVIATIONS

IIA	Instituto de Investigaciones Antropológicas, UNAM, México / Institute of Anthropological Investigations, UNAM, Mexico
IIE	Instituto de Investigaciones Estéticas, UNAM, México / Institute of Esthetic Investigations, UNAM, Mexico
<i>Revista AMMVEPE</i>	<i>Revista de la Asociación Mexicana de Médicos Veterinarios Especialistas en Pequeñas Especies</i>
AMS	accelerator mass spectrometer
ANCON	Asociación Nacional para la Conservación de la Naturaleza, Panamá / National Association for the Conservation of Nature, Panama
BP	before the present
BCE	before the Common Era
BEC	Belize Estates and Produce Company
BHSGD	British Honduras Surveyor General's Department
ca.	circa
cal CE/BCE/BP	radiocarbon calibrated
CE	of the Common Era
CECSA	Cómputo y Electrónica de Coatzacoalcos S.A. de C.V. / Computing and Electronics of Cotzacoalcos
CESO	Centro de Estudios Socioculturales de la Universidad de los Andes, Bogotá, Colombia / Center of Sociocultural Studies of the University of the Andes, Bogota, Colombia
cf	confere (closest identification possible)
CISAT	Centro de Investigaciones y Servicios Ambientales y Tecnológicos, Holguín, Cuba / Center or Research and Environmental and Technological Services, Cuba
COMPACT	Community Management of Protection Areas for Conservation of the Programa de Naciones Unidas para el Desarrollo, México
CONABIO	Comisión Nacional para el Conocimiento y Uso de la Biodiversidad, México / National Commission for the Understanding and Use of Biodiversity, Mexico

CONACULTA	Consejo Nacional para la Cultura y las Artes, México / National Council for Culture and the Arts, Mexico
CONACyT	Consejo Nacional de Ciencia y Tecnología, México / National Council of Science and Technology, Mexico
DNA	deoxyribonucleic acid
ECOSUR	El Colegio de la Frontera Sur / College of the Southern Frontier
EIPRS	Endeavour International Postgraduate Research Scheme, Australia
ENAH	Escuela Nacional de Antropología e Historia, México / National School of Anthropology and History, Mexico
FAMSI	Foundation for the Advancement of Mesoamerican Studies
FIAN	Fundación de Investigaciones Arqueológicas Nacionales del Banco de la República Colombiana / Colombian National Bank's Foundation of Archaeological Investigation
FLMNH	Florida Museum of Natural History
FLMNH-EAP	Environmental Archaeology Program of the Florida Museum of Natural History
IAC	Índice de Aprovechamiento Cultural / Cultural Exploitation Index
IAT	Exploitation Index by Taxon
ICAZ	International Council of Archaeozoology
IMHI CIHU	Instituto Multidisciplinario de Historia y Ciencias Humanas, Buenos Aires / Multidisciplinary Institute of History and Human Sciences
INAC	Instituto Nacional de Cultura, Panamá / National Institute of Culture, Panama
INAH	Instituto Nacional de Antropología e Historia, México / National Institute of Anthropology and History, Mexico
IPN	Instituto Politécnico Nacional / National Polytechnic Institute
ITIS	Integrated Taxonomic Information System - itis.gov
LAZINAH	Laboratorio de Arqueozoología del INAH / Zooarchaeology Laboratory of the INAH
LTUPRS	Trove University Postgraduate Research Scholarship

MNA	Museo Nacional de Antropología / National Museum of Anthropology
MNI	Minimum Number of Individuals
n.d.	in association with taxonomic names = not determined
NISP	Number of Identified Specimens
Op./Ops.	operation/operations
PfB	Programme for Belize
ROM	Royal Ontario Museum, Canada
SENACYT	Secretaría Nacional de Ciencia y Tecnología / Panama's National Secretariat for Science, Technology and Innovation
sp	species - this is used when the genus is known but the species cannot be determined – spp if more than one species is being discussed
TUARC	Trent University Archaeological Research Centre, Canada
SEP	Secretaría de Educación Pública, México / Secretary of Public Education, Mexico
SHM	Sociedad Herpetológica Mexicana
SIMAC	Sociedad Ictiológica Mexicana A.C.
Str.	structure
UADY	Universidad Autónoma de Yucatán / Autonomous University of Yucatan, Mexico
UAEH	Universidad Autónoma del Estado de Hidalgo / Autonomous University of Hidalgo State
UNAM	Universidad Nacional Autónoma de México / Autonomous National University of Mexico

SUBJECT INDEX

A

- abandonment, 284, 310–312; intrasite, 306, 310–312; at El Cerén, 340; at Isla Cilvituk, 306, 310–312; at Kaminaljuyu, 386; at Mayapán, 233, 239; rituals, 199; at Tomaltepec, 161; at Yaxuná, 199
- acipactlī*, 599
- Acolhua people, 600
- activity areas, 138, 160–161, 557, 564
- actunes*, 586. *See also* caves
- adornment, personal, 52, 71, 412, 436, 475, 520, 607
- agouti, 107, 202, 246–247, 250, 297, 324, 330, 361, 36, 374, 427, 431, 434, 436, 444, 548, 626
- agrarian ecology. *See* ecology, agrarian
- Aguas-Buenas tradition, 11
- ajaw*, 225, 593
- akalche* (logwood swamp), 294
- albarraada* (stone wall), 292
- alco*, 43. *See also* dog; Michoacán dog; raccoon
- allometric regression, 30
- altars, 77, 99, 228, 383; at El Palmillo, 183; at La Venta, 117; at San Lorenzo, 117; at Yaxuná, 197, 200, 212, 217–218
- aluxes*, 229
- amaranth, 421
- Amate phase, 383
- Anderson, E. N., 288
- animal names, indigenous, 83–89, 94
- animals. *See also* fauna remains; sacrifice; and individual animal names
- aquatic, 97, 99, 104–105, 115–116, 118, 120, 123–127, 200–201, 242–243, 247–249, 260, 307, 357, 373, 424, 433, 435–436, 439, 465
- coastal, 49, 56
- domestic, 94, 180, 195, 286–288, 373, 404, 408, 557–558. *See also* domestication; husbandry
- exotic, 154, 233, 238, 319–320, 339–340, 409–410, 414, 519, 609, 611, 629,
- terrestrial, 126, 201
- wild, 19, 286, 289, 307, 311, 345, 376. *See also* wild game
- antler, 23, 37, 123, 137–138, 150, 216, 302, 337, 358, 363, 435, 610
- apiculture, 285, 288
- apparel, high-status, 137, 150, 175, 186–187; priestly, 150; ritual, 66, 138
- archaeofauna. *See* fauna remains
- Archaeolithic period, 9
- archaeology, processual, 15, 535, 537, 553
- archaeozoologists, 52, 578
- archaeozoology. *See* zooarchaeology
- Archaic period, 9, 17, 153, 156, 158, 166–167, 169, 189
- architecture, 357; adobe, 381; domestic, 160; elite, 161; monumental, 10–11, 97, 239–240, 324; mounded, 102; mud-brick, 381, 387; nonresidential, 247; residential, 138; *talud-tablero*, 70; Teotihuacan-style, 382. *See also* hall(s); temple
- ark, 450–451, 455, 460, 463, 472–474
- armadillo, 27, 106, 135–137, 149, 171–172, 175–176, 178, 202, 215–216, 236, 242, 246–247, 250, 272, 358, 361–364, 369, 371, 373–374, 376–377, 388, 390, 417, 427, 431, 434, 436, 444, 545, 547–548, 550–551, 610–611, 613, 619, 626–627
- Arnold, Philip J., III, 99
- auger (snail), 472
- auger tests, 101, 128
- autosacrifice. *See* bloodletting

awl, 261, 405
azazahoactli (bird), 87, 89, 92
 Aztec calendar, 185
 Aztec culture, 12–13, 185–186, 524
 Aztec ritual, 143–144, 148
 Aztec phase, 559

B

ball games, 601–602; Juego de Pelota
 Este (Eastern Ball Court), Xochicalco, 587
 Balunite phase, 326, 342
 barracuda, 49, 55, 59, 62, 69, 71, 73, 75, 549, 551, 614
basurero. *See* midden
 bat of death. *See* Camazotz
 bats, 214–216, 226, 405, 583–606; anatomy of, 584–586; in glyphs, 591, 603; hematophagous, 603; piscivore, 586; poisonous, 603; representations of, 587–600, 603–604; species of, 586–587; symbolism of, 20, 583, 603–604, 616; and the underworld, 226, 601–602, 604. *See also* Camazotz; leaf-nose; *tlacatzinacantli*
 bead, 434; bird bone, 180, 436, 613; greenstone, 102, 146; shell, 475, 523, 618
 bee, beehive, 7, 288–289, 618
 behavior: animal, 89, 92, 528, 616; human, 150, 185, 191–192, 196, 199, 211, 224, 239, 272, 284, 307, 315–316, 318–320, 322, 331, 339, 343, 346–348, 480
 beheader, 596, 601. *See also* bats; Camazotz; *tlacatzinacantli*
 Belize Estates and Produce Company (BEC). *See* British logging camp
 biosonar. *See* echolocation
 bioturbation, 311, 352, 465
 birds: aquatic, 84–86, 89, 91, 200–201, 438, 506, 516–518, 522–524; breeding colonies, 24, 502, 517; caged, 90, 508–519, 623–625; captive, 17, 81–82, 90, 92–94, 519–520, 621, 625; Cultural Exploitation Index, 84, 89, 92, 94; identification of, 81, 83–89, 93, 242; marine, 200, 502, 528, 620; at Mayapán, 259; migratory, 506, 518; in pre-Columbian Panama, 479–530; of prey, 84–86, 91, 116, 520–521; relative scarcity of remains, 83; scavenger, 84, 86, 91, 520, 624; terrestrial, 518–519; uses, 519–526. *See also* individual bird names
 bloodletting/bloodletter, 123–124, 139, 148, 180, 183, 616. *See also* shark tooth; stingray
 boa (constrictor), 109, 207, 213, 215, 224–225
 bobcat, 175, 176, 178, 435
 body parts, animal: analysis of, 138, 140–142, 150, 177; manufactured, 52, 435–436
 bone, cortical, 187, 213, 311
 bones, animal, anthropic modifications/marks on, 195–197, 199, 216, 227–228, 329, 334, 336. *See also* fauna remains; skeletal elements; taphonomy
 bone tools. *See* tools
 bone working. *See* tools
 booby, 200, 204, 485, 502, 523, 524, 528
 breakage, 213, 228, 245, 295, 308. *See also* taphonomy
 British logging camp, 351–379. *See also* logging
 brocket deer, 106, 201, 203, 210, 215–216, 223, 231, 254–258, 296, 330, 335, 338, 361, 364, 369, 371, 426, 436, 545, 547–548, 616, 620, 622, 626; in diet, 228; as lord of the deer, 229; at Mayapán, 233, 240–242, 248, 251–256, 258, 264–267, 270–271, 273, 275; as offering, 229; skull, 218, 267, 270; teeth in ritual deposit, 218
 Búcaro phase, 11
 bufotenine, 117
 bull shark, 55, 70, 614
 burial, 70, 133, 136, 139, 218, 221, 224–225, 231, 233, 237, 240, 342, 381, 474, 505, 521; animal bones in, 213–216,

- 224–225, 233, 241, 272, 405, 475, 505; bat, 213, 216; bird, 213–215, 225–226, 630; deer, 25, 213, 216, 228, 261, 276, 340; dog, 23–46, 143–146, 149, 172, 228, 404, 412–414, 557–558, 568–570, 573, 577, 579–580; elite, 118; felines, 212, 221, 231, 405; human, 23, 25, 37, 40, 44, 133, 143, 148, 212–213, 228, 261, 267, 276, 319–320, 340, 413, 421, 475, 516, 525, 558, 568–569, 573, 577, 579; Olmec, 101–102; raccoon, 23, 25, 29, 31, 43, 45; and taphonomy, 322. *See also* burial mounds; temple, burial shaft temples; offerings, funerary
- burial mounds, animal deposits in, 23–46
- burning, of animal bones, 144, 197, 294–295, 303, 305–306, 308, 312–313, 320, 336, 346, 358, 390, 412; of forest, 529; of heart, 273; of *milpa*, 434; of refuse, 362; of savanna, 437. *See also* taphonomy
- butchery, 139, 165, 234, 238–239, 271, 273, 308, 320, 343, 345, 358, 362, 390; of armadillo, 363; of deer, 335–336, 343, 345–346, 369, 616, 619; of dogs, 139, 141, 144, 271; evidence of, 308, 320, 335, 412, 434, 616; of iguana, 271; of jute, 367; 369; of pig, 364. *See also* cut marks

C

- cacao, 8, 409, 421
- calendar, 185, 229, 277, 287, 315, 593, 598, 616, 619, 621–622; ritual, 8. *See also* symbolism, animals
- Camazotz (bat of death), 602, 612–613, 616
- canals, 382, 384, 388, 407–409, 613; at Lake Miraflores, 408. *See also* irrigation
- canine ectodermal dysplasia (CED), 43, 141, 572
- carapace, 67, 137, 171, 296, 298, 301, 309, 335, 338, 365, 398, 424; bowl, 610, 630. *See also* plastron; turtle
- cardinal directions. *See* symbolism, animal
- Carnegie Institution, 14, 192, 405
- Caste War, 353, 367
- catfish, 27, 109–110, 119, 121, 171, 200–201, 208, 210–211, 425, 427, 433, 438, 549–551, 613, 619–620, 626
- cattle. *See* cow
- caves, 14, 192, 218–219, 230, 261, 320, 345, 413, 570, 586–587, 600; as portals to the underworld, 601–603. *See also* individual cave sites
- Cenolithic period, 9
- cenote, 230; at Ch'en Mul, 240–241, 252–254, 262, 274, 586, 621
- Cenote of Sacrifice (Chichén Itzá), 193
- censer, 278
- censer rituals, 239
- centzonales*, 90
- ceramics, 143, 160, 180, 292, 311, 323, 325, 327; Chupícuaro tradition, 11; animal representations on, 122–123, 589, 591, 604; dating, 198–199, 219, 290–291, 310, 324–325, 342, 419, 423; as fill, 310; at Holotunich, 357, 370–371, 373, 385; incense burners, 218; at Kaminaljuyu, 383–384, 409; locally manufactured, 70; polychrome, 11–12, 321, 346, 521; production, 161, 163; proximity to bone, 61, 219, 290, 316–317, 325, 342, 564; at San Cristóbal, 419, 421–423; Teotihuacán-influenced, 70; in ritual, 199, 219, 341; at rock shelters, 443, 448, 504. *See also* figurines
- ceremony, 50, 135, 137, 142–143, 150, 171–172, 185, 196, 228–229, 233–234, 237–239, 263, 267, 273–274, 288, 308, 321, 339–341, 344, 384, 404–405, 410, 586, 611–612, 615–616, 620, 611–623; agricultural, 570; birds in, 19, 479, 492, 524–525; ceremonial calendar, 593; ceremonial centers 158, 160, 172, 177, 185, 237, 290, 568; ceremonial contexts, 98, 102, 116, 142; ceremonial hut, 229; deer in, 123, 340; dogs

- ceremony, *continued*
 in, 271, 412–413, 567–570, 572–573,
 580–581; New Year's, 570; structures
 for, 8, 133, 146, 234, 339, 413–414; use
 of animals in, 52, 56, 126–127
- cervidae. *See* brocket deer; white-tailed
 deer. *See also* taxonomic index
- chachalaca, 204, 219, 230, 484, 520, 548,
 550–551, 623
- Chak (god of rain), 230
- Chanco (deity), 71
- Chibcha language, 7
- Chichimec tradition, 12
- chicken, 516
- Chilam Balam of Chuyamel, 601
- childbirth, 147
- chiquatli* (bird), 87, 92
- Chicharras phase, 100
- Chiroptera. *See* bat
- Chorotega culture/language, 7, 418, 440
- chultun, 292. *See also* storage
- cichlid, 392, 399, 408, 424–425, 427, 431,
 433, 438, 440, 613, 626
- clam: littleneck, 450–451, 455, 460, 463,
 472, 474, 614; river, 430, 432; pitar ve-
 nus, 450–451, 455, 463, 472, 474, 614
- climate, 155, 194, 310, 382, 386, 388;
 change, 10, 16, 409, 492, 576. *See also*
 drought
- clothing. *See* apparel
- coatiundi, 172, 202, 247, 250, 287, 307,
 426, 431, 436
- cochinita pibil* (traditional meal), 197
- Codex Borgia, 597, 599
- Codex Fejérvary-Mayer, 597, 599
- Codex Vaticanus, 597, 599
- Coe, Michael, 98
- Colima, ceramic dogs from, 40, 43, 46
- collapse, Maya 11, 225; of Mayapán, 239;
 Olmec, 97
- Colonial period, 237, 277, 347, 351
- colonnaded halls (Mayapán), 233–234,
 240, 248, 267, 278
- columella, 295, 424, 450
- Complex Lordship phase, 11
- conch, 360, 367, 370, 472
- confederacy of Mayapán, 239
- consumption, 239; ceremonial, 50, 56,
 322; crab, 67; deer, 177; dog, 149,
 173, 177; domestic, 199–201; fish, 64,
 76–77; meat, 124; patterns, 18, 126,
 141, 160, 191–192, 212, 230; rabbit,
 177, 180–181; sacrificial vs. domestic,
 237. *See also* diet
- Contact period, 83, 233, 273, 417, 610
- cooking. *See* food preparation
- cormorant, 361, 485, 501–502, 506–507,
 517, 613
- corn, 577, 580, 611–613, 615, 626, 627,
 73, 76, 286, 434, 438, 558
- corrals, 288, 622
- corvina, 27
- cotton, 8, 70, 185–186, 433
- cottontail. *See* rabbit
- cow, 106, 203, 215, 287–288, 361–363,
 371, 373–377, 393, 399–400, 403, 404,
 406, 493
- coyote, 175–176, 399, 405, 604
- Coyotlatelco phase, 559
- crab, 49, 53, 55–57, 60, 66–67, 70, 74–76,
 347, 430, 432, 438, 444, 614
- craft: activities/production, 101, 129,
 138–139, 149–150, 154, 163, 181–186,
 189, 624; items, 150, 628; and rabbits,
 181–186; specialists, 100, 160; special-
 ization, 286, 444
- cremation, canine, 143–144
- crocodile, 65, 70, 74, 172, 200, 207, 236,
 243–244, 247–249, 272, 278, 360, 366,
 369, 371, 405, 428, 432, 550; cape,
 614; hunting, 53; masks, 66; scutes/
 subdermal plates, 53, 55, 60, 65–66,
 68, 405
- Cruz phase, 133
- crypt, 213, 216, 226, 228
- Cubitá phase, 507, 515, 522
- cuchteelob*, 291–292
- Cultural Exploitation Index. *See* birds
- curassow, 205, 484, 519–520, 526, 528,
 624–625
- curlews, 90
- cut marks, 141, 144, 145, 196, 218, 228,

294, 296, 308, 320–321, 332, 334–337, 345, 347–348, 434, 573, 616. *See also* butchery

D

death: in animals, 307, 412, 474, 557; age of in animals, 140, 578; bat and, 226, 599, 602, 616; dogs and, 23, 122, 274, 413, 579–580; vultures and, 226, 620 deer. *See* brocket deer; cervidae; white-tailed deer. *See also* antler deforestation, 438, 492, 529, 583; forest retreat, 409. *See also* forest deity. *See* god; goddess de las Casas, Bartolomé, 603 de Cogolludo, Diego López, 603 de Landa, Diego, 230, 237, 273–276, 344, 435, 603 diagenesis. *See* preservation Diehl, Richard, 98–100 diet/dietary use of animals, 75, 81, 84–85, 93–94, 97, 115, 129, 150, 154, 166, 171, 189, 277, 281, 401, 444, 448, 451, 465, 544, 547, 554; aquatic animals in, 126; British, 351–352, 374, 376, 377–379; deer in, 122, 124, 135, 153, 167, 173–175, 177, 181, 277, 348; dogs in, 118, 135, 153, 149, 167, 173–175, 180–181, 277, 412, 557–558, 568–569, 571; elite vs. nonelite, 120, 124, 126, 180; fish in, 97, 124, 212, 480, 502; gopher in, 167; high-status, 97, 183; manatee in, 116, 124; Mayapán, 238, 256, 259; Mayan, 310, 351–352, 366; meat, 135, 153–155, 158, 166–181; Mixtec, 149; of nonelites, 124–125; rabbit in, 135, 153, 167, 173–175, 180–181, 183; at rural sites, 116, 126, 131, 131; at San Cristóbal, 431–432, 434–435; turkey in, 153, 175, 181, 187; turtle in, 115–116; Zapotec, 188. *See also* consumption

discard/disposal/deposition, 313, 332, 398, 141, 303, 305–306, 342, 345, 362; according to hazard/hindrance

potential, 283, 309, 312, 630; differential, 285, 292, 302–303, 587; domestic vs. ritual, 241, 331, 339–340, 144, 230, 630; secondary or redeposition/reclamation, 308–310, 319; single vs. multiple events, 316–317, 319, 321, 337–339. *See also* fauna remains, discard; hindrance potential

diversity (animal): 73, 78, 105, 111–115, 124, 211, 241, 271, 292, 308, 315, 317, 373, 404, 418, 445, 465, 622; of aquatic resources, 100–101, 111, 212, 451; of bats, 604–605; of birds, 81, 85, 89, 92, 94, 479–480, 522. *See also* Shannon-Weaver Function

DNA, 90, 561

dog, 23–47, 125, 173, 210, 231, 330, 363, 557–582; abundance in archaeological record, 559; anatomical part representation, 303; associated with human remains, 23, 143, 216, 228; ceramic, 40, 46; in ceremony, 271; diet of, 122, 143, 576–577; consumption of, 118, 135, 153, 149, 167, 173, 180, 237, 277, 557–558, 568–569, 571; dentition, 28, 30, 37, 40, 43–44, 140–143, 563, 572; deposition of in burial mounds, 23–46; in elite contexts, 117–118, 122, 143, 381; in iconography, 25, 40, 46; at Isla Cilvituk, 296; at Kaminaljuyu, 399–401, 404, 406–408, 410–415; lack of remains, 435; at Mayapán, 236–237, 240–241, 253–259; migratory patterns and, 557, 573, 578–579; in myth, 577–578; nomenclature 28, 134; in nonelite contexts, 118, 122; as offering, 144, 571; osteometric analysis of, 28–45; raising, 135, 144–145, 150, 180, 186; remains at sites in Mexico, 562–571; in ritual, 143, 147, 228, 340, 412, 572; and royalty, 410–414; symbolism, 274, 413, 577–581; at Tayata, 139–148; teeth as ornament, 173; tooth modification, 23, 31, 37, 40, 43, 45–46; types, 572–577; and underworld, 23, 122, 228, 413, 570,

- dog, *continued*
 577, 580; uses of, 571–572. *See also*
 xoloitzcuintli
- domesticates. *See animals, domestic.*
- domestication, animal, 17, 81–82, 90–91,
 94, 535, 538, 626, 628–629; of birds,
 528; of deer, 223, 331; of dog, 82; of
 turkey, 81–82, 175–177, 181, 188, 224,
 623, 628–629
- domestication, plant, 7, 10, 81–82
- dove, 27, 480, 489, 501, 503, 506, 508,
 519, 549, 551, 623, 625; mourning,
 92, 171, 489, 506, 519–520, 527, 625;
 ground dove, 488, 503, 506–507, 519,
 527; quail dove, 489, 503, 519, 526;
 white-winged, 175–176, 489, 503, 519,
 527; zenaida, 175, 179
- Dresden Codex, 226, 238, 242, 250, 595
- drought, 492, 580
- drying, 64, 124
- duck, 27, 107, 175, 200, 361, 408, 504,
 506; dabbling, 484; gadwall, 392, 399,
 613; lesser scaup, 108, 171, 484, 506;
 muscovy, 108, 484, 505, 518–520, 528;
 pintail, 506; ring-necked, 89, 484, 518;
 shoveller, 506; teal, 108, 506; whis-
 tling, 484, 505–506, 518, 520, 528, 623
- Dunker's dosinia, 451, 463, 472, 474
- E**
- eagle, 117, 521, 599, 625
- Early Ceramic, 501, 504–505
- Early Preceramic, 507
- Echinodermata, 66
- echolocation, 583
- ecofacts, 192, 284
- economy, 8, 19, 192, 233, 275, 289, 292,
 356, 375, 443, 493; animal, 175, 181,
 188; market, 153; political, 101, 284,
 290; subsistence, 99, 126, 376, 433
- ecology: agrarian, 282, 284, 286–287; of
 animal use, 193; domestic/household,
 18, 281–282, 283–286, 290–294, 307,
 312, 619; human, 480, 538; local, 95,
 97, 100, 103
- effigy: censer, 278; sacrifice before, 273;
 sculpture, 267; urn 261; vessels, 122,
 522; whistles, 180
- egret, 176, 179, 200, 204, 485, 501, 505,
 517, 525, 624–625
- Ehecatl (deity), 622
- elites, 385, 608; and animal use, 192,
 237, 387; burials, 118, 183, 410, 412;
 compared with nonelites, 95, 99, 105,
 118–127, 181; consumption pat-
 terns of, 322, 237; contexts, 100–102,
 116–118, 175, 180, 318, 344, 387,
 411; and deer, 116, 118–120, 123, 320,
 340, 345, 348; and dogs, 116–120,
 122–123, 143, 258, 340, 381, 410–415;
 feasting, 123, 278, 340–341, 413–414;
 and felids, 410; households/residences
 of, 133, 161, 165, 171, 180, 186,
 198–199, 240, 258; at Kaminaljuyu,
 387, 410; among Olmecs, 99–102; and
 pulque drinking, 185; and rabbits, 181,
 183–185; and trade in exotics, 340,
 609. *See also* status
- encomienda system, 375
- environments: aquatic, 53, 100–103,
 105–112, 363, 366, 376, 433, 435–436,
 492; disturbed/secondary habitats,
 122–123, 125, 211, 223, 286, 287,
 364, 382, 409; estuary, 24–28, 40, 43,
 194, 221–222, 444, 451, 503; forest,
 194, 408–409, 419, 421, 436–438,
 479, 482–492, 527, 576; lacustrine,
 18, 281–283, 290, 308, 312–314,
 381–382, 388, 408, 409, 433; marine,
 74–76, 424, 433, 443, 475, 479, 517,
 519; riverine, 282, 351, 374, 376–378,
 492–493, 503, 521, 527
- Epi-Olmecs, 3, 17, 95–128
- epigraphy, 584, 617
- equids, 363, 375–376. *See also* horse;
 mule
- erosion, 213, 226, 303, 323, 329, 331–
 332, 335–336, 339, 342, 362, 372, 388,
 397, 474
- Espinosa, Gaspar de, 434, 519
- ethnicity, 383; and dog remains, 277;

- Maya and, 375
 ethnohistorical texts, 273, 438, 601. *See also* historical chronicles
 ethnozoology, 50, 554
 exchange, 11, 56, 69, 70, 73, 83, 150, 153–154, 161, 163, 189, 288, 290, 352, 375, 378, 433, 518, 531, 543, 553, 571, 609, 610, 612, 617, 620, 628–629. *See also* trade
 exploitation categories, 50–52, 81, 84–86, 92–94
- F**
- falcon, 116, 486–487, 506, 520, 526–527, 612. *See also* hawk
 farming, at Isla Cílvituk, 286, 289, 294, 311–312; among the Olmecs, 99, 102–103, 126; around Parita Bay, 482–483, 493; at San Cristóbal, 419–420; among San Pedro Maya, 354
 farmland, 49, 99, 101, 336, 611
 fauna remains. *See also* bones, animal; taphonomy
 — discard, 141, 230, 281, 283, 285, 292, 303, 308–309, 317, 321, 345, 415, 480, 544, 630
 — habitation/use, 283, 309–310
 — identification of, 27, 83–84, 104–105, 133, 138, 163, 195, 212–213, 217, 294, 298, 328, 340, 358–359, 387, 390, 424, 480; of bird, 81, 83–89, 93, 493, 526, 538, 540, 608; of bat, 585; of coastal animals, 49, 56–57, 66, 78; of dog, 264, 566–567, 572; of equid, 363; of hairless dog, 30; of molluscs, 448; of turkey, 187, 195.
 — postabandonment/postdeposition, 284, 295, 310–312
 — reclamation, 295, 298, 310–312
 — recycling, 283, 308–309, 312
 feasts/feasting, 212, 227, 237, 239–240, 259, 288, 315–316, 321, 340–341, 343, 346–348, 410, 413, 570, 572, 608, 619, 622, 623; competitive, 123, 413; and deer, 123, 315–349, 622; and dogs, 118, 122, 143–144, 149, 271, 342, 414, 572, 577, 580, 611, 630; elite, 123, 278, 340–341, 413–414; and fish, 612, 615, 622; New Year, 580
 feathers: as adornment, 52, 136, 138, 186–187, 250, 410, 492, 599, 610, 619, 625; as commodity, 8, 154, 518, 528, 617, 623–624; quetzal, 8, 614, 617; in domestic craft production, 154, 307, 624; feather working, 187, 520, 524–526, 630; medicinal uses of, 624–625; in ritual, 221, 226, 492, 620; turkey, 137, 188, 618
 felids/felines, 436; in ceremonial deposits, 212, 221, 231, 405; hides, 216; jaws of, 405; at Mayapán 242, 246–247, 250–251, 267, 272–273; and royal iconography, 410
 festivals, 288, 342; Muluc and Ix, 274; New Year's, 250
 figurines, animal, 116, 261, 267–268, 277, 325, 587, 610; anthropomorphic, 321; clay, 141, 161, 268, 278, 619; as headdress elements, 263
 fish: bony, 59, 109, 169, 208, 363, 392, 398, 400, 409–410, 417, 424, 427, 433, 438–439, 626; consumption of, 64, 76–77, 97, 124, 212, 480, 502; freshwater, 366, 399, 401, 403–404, 406, 408, 425, 441, 444, 505, 610; at Holotunich, 369–370; in nonelite diet, 120, 125; marine, 49, 53, 136, 138, 149, 171–173, 366, 371, 374, 388, 399, 403–404, 406, 408–411, 414, 433, 443, 448, 507, 611, 622; at Mayapán, 260; preparation, 52–53, 56, 64, 71–73; ritual consumption of, 77; riverine, 425; in trade, 17, 149, 222, 409–410, 433, 613, 620, 623. *See also* individual names, and *passim*
 “fisherman” mural, 249, 260
 fishing, 50, 52–53, 57, 73–74, 76, 223, 621; dragnets, 433, 626; gill nets, 444, 473, 502, 614; harpoon, 49, 73, 76; intertidal traps, 443–444, 473, 475, 524; net, 73; net sinkers, 116, 433; seine

fishing, *continued*

nets, 433; with poisons, 626; hook-and-line, 433; religious beliefs related to, 71; spear, 433; technology, 433

flicker, 136–137, 149, 610

Florentine Codex, 44

Florida Museum of Natural History, Environmental Archaeology Program

flotation, 27, 104, 124, 296, 543, 547

food preparation, 165, 197, 213, 220, 273, 303, 305, 308–309, 317–318, 328, 334–337, 339, 341–343, 348, 375, 390, 432–433, 435, 474, 564, 570; cuisine, 75; culinary tradition, 49, 75, 76, 211, 431; of fish, 52–53, 56, 64, 71–73, 197, 433. *See also* consumption; stewing; taphonomy

food preservation *See* drying; salting

food staple, 233, 274–275, 278; aquatic taxa, 125; birds, 238; deer, 238, 277; dog, 118, 122, 149, 180; iguana, 277; manatee, 116; peccary, 238; turkey, 259, 277

forest: animals inhabiting, 8, 115, 135, 183, 217, 223, 229, 289, 307, 324, 336, 351, 376, 378, 382, 388, 408, 431, 434, 436–438, 482–492, 518–520, 522, 527; cities located in, 11, 18; cloud, 388, 409, 613, 624; cultivation of, 286–289, 611, 613; dry, 482–483, 492–493, 518, 520, 522, 527; environment, 194, 408–409, 419, 421, 436–438, 479, 482–492, 527, 576; primary, 286–287; secondary, 211, 223, 286–287, 336, 382; retreat, 409. *See also* deforestation

formation processes, 165, 282, 315–318, 331, 347–348, 444

fox, gray, 171–172, 175–176, 179, 202, 393, 399–400

fragmentation: of bones, 165, 242, 245, 259, 296, 300, 306, 309, 311–312, 320, 328, 330–331, 337, 358–359, 397–398, 411, 443, 474, 476; of habitat, 289. *See also* taphonomy

fruit trees, 288, 311

funerary rites. *See* offering, funerary

G

gar, 399, 401, 408–409, 425, 427, 431, 438, 611, 613, 626

garden hunting, 115, 122–123, 126, 223, 289, 434, 628. *See also* hunting

geese, 365, 434, 519

geophysical survey, 101

Gill, George, 23

gill nets. *See* fishing

GIS, 295

glyphs, 230, 584, 592–593, 604

gnawing, 294–296, 300, 308–309, 312, 329, 335, 339, 358–359, 390. *See also* taphonomy

god: of hunting, 345; bat god, 573; 589–591, 599; of pulque (Centzontotoch-tin), 185; of rain, 230, 568; solar, 599; of wind, 622. *See also individual names*

goddess: of the flowers, 599; of maguey, 185, 599; in Mayan codices, 263; “2J”, 589. *See also individual names*

gopher, 107, 119, 135–137, 139, 167, 173, 175–176, 178, 393, 610, 613, 622; at Kaminaljuyu, 399–400, 403, 406; at Mayapán, 242, 247, 249, 251–252, 258–260, 262, 264–266, 271

grackle, 491, 506, 625

Gran Coclé: culture area, 493; pottery style, 520–521, 524; tradition, 3

grison, 247, 250, 623

grouper, 27, 200, 209, 360, 392, 399, 427, 433, 612, 614, 627

grunt, 171, 173

Guadalupe phase, 132, 142, 156, 159–160, 165, 168

guajolote (wild turkey), 81–82, 87, 90, 92–93. *See also* turkey

guan, crested, 171, 429, 431, 484, 519–520, 526, 548, 550, 624

guardian of the animals, 229

H

haab calendar, 593, 598, 616

habitat. *See* environment

- habitation (use). *See* remains, animal hall(s), at Mayapán, 234, 238–240, 248–250, 252–256, 258–260, 262–265, 267–268, 271–273, 277–278 hawk, 108, 172–173, 175, 360, 367, 486, 505, 520–521, 612, 624. *See also* falcon headdress, 340; of deity, 66, 263, 589, 594; in iconography, 117, 589, 591, 594; materials for, 52, 193, 263, 337, 624 heart extraction, 237–238, 273, 597, 599 hematophagous bat. *See* bats Hernandez, Captain Francisco, 73 heron, 89, 179, 200, 204, 429, 431, 438, 485, 501, 506, 517, 524, 549, 551, 625 herring, 27, 619 hide, animal, 66, 123, 139, 221, 434, 622; crocodile, 435; deer, 118, 123, 434; jaguar, 8, 216; jaguarondi, 216; manatee, 116; ocelot, 216; hide working, 137–139, 610, 619, 630 hierarchy, political, 111, 115; settlement, 97, 102–103, 115, 126, 150 highlands, 7–8, 155, 229, 285, 381, 388 hindrance potential, 281, 283, 309, 312 historical chronicles, 81, 83. *See also* ethnohistorical texts Historic period, 18, 287–288, 351–352 Holocene, 1, 192, 445, 503 horse, 203, 215–216, 287–288, 361–363, 370–371, 373–374, 376, 472, 492, 589 household ecology, 281–294, 307, 312, 619 house lot, 103, 284–286, 295–296, 300, 302–303, 305–306, 308–310, 312. *See also* patio; ring midden; zone, intermediary human consumption. *See* consumption Hunahpú and Ixbalanqué (mythical twins), 601–602 hunter-gatherers, 9, 166–167 hunting, 50, 115, 189, 195, 231, 285–286, 289, 294, 307, 312, 319, 331, 346, 365, 373, 375–379, 421, 432, 439, 479, 493, 502, 527–528, 628; of birds, 91, 93, 365; of deer, 135, 167, 172, 177, 179–180, 197, 211, 229, 238; dogs used in, 412; of ducks, 91; hunting pressure, 331, 528; of iguana, 505; by nonelites, 126; of peccary, 238; of rabbits, 135, 184; shrines, 229. *See also* garden hunting hunting technology: snares, 238, 241, 424, 626; spears, 434–435, 626; traps, 115, 122, 135, 166–167, 184, 189, 434, 444, 473, 519, 527, 614, 618, 626. husbandry, animal, 17, 285–288, 292, 294, 307, 311, 378–379; of turkey, 275; of white-tailed deer, 8, 241, 275, 623. *See also* domestication

I

- ibis, 27, 429, 438, 440, 480, 486, 503, 506, 517, 624 International Council for Archaeozoology (ICAZ), 1, 534 iconography, 52–53, 124, 225, 263, 267, 383, 630; bat, 587–600, 603–604; aquatic scene in, 272; boa, 225, 227; crocodile, 65; deer, 123; dog, 122, 267–268; eagle, 117; jaguar, 267; of kingship, 278, 410; Mayan, 225–226, 342, 410; at Mayapán, 233, 263, 267, 277–278; monkey, 267; murals, 53, 77, 178, 272, 290; offering scenes in, 274; Olmec, 116–117, 120–122, 124; owl, 521; serpent, 225, 267; turkey, 241, 267–268 identifiability, 299, 300 iguana, 27, 105, 109, 207, 210–211, 213, 215, 219, 223, 230, 417, 428, 432, 435, 437, 444, 503, 545, 547–548, 550–551, 614, 619–620, 622; at Mayapán, 233, 240–242, 247, 249, 251–252, 254–257, 258–260, 264–267, 270–275, 277 incense burner, 212, 217–218, 273 indigenous peoples, 1, 6–7, 379, 417, 436, 583, 600–601; cultural interactions with Europeans, 352, 375, 378–379; hunting strategies of, 223; population decrease, 418

- Initial Series Group (Chichén Itzá), 198
- Instituto de Investigaciones Antropológicas de la UNAM, 49, 57, 324, 561, 565, 568, 574
- intensification, agricultural, 116, 284, 307, 313, 444; of maize production, 116
- intermediary zone. *See* zone
- interstitial zone. *See* zone
- irrigation, 155, 382. *See also* canals
- isotopes, 90, 118, 123, 221, 223, 505
- Itzamná (deity), 230
- itzcuintli.* *See* dog
- Ixbalanqué. *See* Hunahpú
- ixcuicuil* (bird), 92
- ixquintlepozotlī*, 43, 45. *See also* alco; dog; Michoacan dog; raccoon
- J**
- jack, 27, 110, 121, 209, 424–425, 427, 433, 502, 549–551, 611, 614
- jackrabbit. *See* rabbit
- jaguar, 8, 52, 53, 176, 179, 203, 216, 218, 241, 267, 277, 324, 405, 599, 604, 614, 623
- jute, 325, 357, 360, 366, 269–374, 376–378–379, 430, 626; consumption of, 367; preparation of, 367
- K**
- Kekchi Maya, 286–289
- kinkajou, 426, 431, 436
- knife, 267, 359
- k'ubul ajaw*, 593
- L**
- Labratory of Paleozoology, 13–15, 57, 60, 66, 561, 565, 568, 574
- lacustrine. *See* environment, lacustrine
- lagunas, artificial, 100
- Landa. *See* de Landa, Diego
- languages, indigenous, 6, 418. *See also* individual languages
- Late Preceramic period, 493, 500–505, 527, 529
- leaf-nose, 585, 589, 591, 599, 604, 616. *See also* bats
- levee lands, 99, 611
- limpkin, 361, 365, 369
- Linares, Olga, 122, 223
- lithics, 8, 320, 370, 421, 557, 564, 581: Clovis points, 8, 9; end scraper, 447; fluted points, 446
- lizard, 213, 274, 428, 432, 435, 437
- logging, 289, 355–356, 627; road, 356, 363, 369
- lucine, 360, 367, 370
- M**
- macaw, 90, 489, 518, 524–525, 528–530, 624
- machete, 27
- Madrid Codex, 226, 228, 241
- maguey, 163, 185–186, 599, 617. *See also* textile production; spinning
- mahogany, 355–356, 377. *See also* logging
- maize, 118, 158, 421, 504, 611; bread made from, 274; cultivation, 9–10, 99, 101, 103, 126, 312, 420, 434, 444, 493, 502; domestication of, 7, 9–10; fed to deer, 123, 223; fed to dogs, 43, 122, 143, 413; tools for grinding, 420; reliance on, 103, 126; intensification, 116; storage, 103, 434
- manatee, 105, 107, 116, 119–120, 124, 200, 203, 243–244, 247, 249, 479, 611, 620, 623
- mangrove, 19, 24, 27, 74, 443, 444, 472, 473, 475, 482, 483, 492, 493, 503
- manos* and *metates*, 357, 420, 422
- manuscript. *See individual names*
- Martín, Juan Guillermo, 530
- masks: bat, 604; of the bat god, 591; crocodile, 66; felid jaws in, 405; jade, 589; skulls used as, 569
- mass graves, 239
- Maya: ethnicity, 375; factions, 353; Kekchi, 286; San Pedro Maya, 352–380.

- See also* Caste War; sacrifice, animal
 Maya collapse, 11, 225
 Mayahuel (deity), 185, 599–600
 Mazapa phase, 559
 medicine, animals used in, 50, 84–86,
 92–93, 137, 187, 412, 520, 522, 525,
 617–618, 624, 628, 630
 Metepec phase, 50, 53
 Mexica, area, 83, 624; culture, 81–94, 580
 Mexican hairless dog. *See* *xolotzcuintli*
 mica, in craft production, 138; as decoration, 138
 Miccaotli phase, 50
 Michoacán dog. *See* *alco*; dog; raccoon
 midden, 18, 101, 133, 141, 160–161, 166,
 171, 196, 223–224, 272, 292, 317, 332,
 336, 339, 389, 410, 505, 507, 525, 527,
 568; containing marine shell, 479, 483,
 500, 503, 508; domestic consumption
 and, 191–192, 198–212, 230–231,
 234, 306, 315, 318, 346, 412, 557, 569,
 573, 577; elite, 345; feasting, 239–240,
 321; palace, 324; primary, 196–199,
 316–319, 327, 372; ritual vs domestic,
 319–321; in rock shelters, 504–505;
 secondary, 196, 316–319. *See also* ring
 midden
 Middle Ceramic period, 444, 505–508
milpa, 211, 223, 231, 269, 284–289, 294,
 312, 354, 614, 618, 611
 Mixtecs, 3, 12, 15, 129, 131, 143,
 146–147; animal use, 149–150
 MNI, 60, 104, 115, 167, 195, 295, 328,
 358, 424, 516, 564
 modifications, post-depositional. *See*
 bones, animal; taphonomy
 mojarra, 49, 75, 110, 425, 549, 611, 614
 molluscs, 19, 24, 27, 28, 68, 73, 76, 294–
 296, 299, 307–308, 312, 324, 357, 360,
 363, 367, 371, 373–374, 388, 430, 432,
 436, 438–440, 443–477, 475, 535, 628
 Monagrillo people, 3, 10
 monkey, 324, 388, 435, 436; cebid, 500;
 howler, 312; spider, 171–172, 312, 435
 Monte Albán phases, 132, 156, 159–161,
 168–170, 173
 Montezuma Zoo, 90, 93
 monuments, 97, 99; ceremonial, 8; colossal heads, 99–100; inscribed, 97, 382,
 591; Olmec, 97–101; stelae, 99–100;
 stone, 13, 97, 100–101, 382
 moon, 228, 602
 mounds, burial, 23–46, 619, 620; monumental, 101–102
mozototol (bird), 87, 92
 mudflat, 451
 mule, 287, 361, 363, 370–371, 376, 521,
 624, 627
 mullet, 27, 49, 61, 70–71, 74, 77, 110,
 121, 547, 549–551, 614–615
 mural, 53, 77, 272, 178, 290; “fisherman,”
 249, 260
 Murciélagos phase, 326, 342
 musical instruments, 335: musical rasps,
 116; rattles, 435; trumpets, 435;
 whistles, 180, 267, 435, 591, 593–594
 mythological beings: *aluxes*, 229; animals
 as, 117, 267, 278, 584, 601, 604; and
 royalty, 139; *zip*, 229. *See also* individual names
 myths, animals in, 520–522, 577

N

- nacon*. *See* priest, Mayan
 Nahua group, 3, 12, 17, 593, 600
 Nahuatl language, 83, 89, 147, 185
 Neotropics, 524, 526
 net fishing, 49, 71, 619
 net sinker, 116, 433
 neurocranium, 218, 300
 New Year rituals, 274, 580, 622
Nezahualpilli, 600
 Nicaraо culture, 3, 7, 418
 nightjar, white-tailed, 490, 506, 527
 noria (waterwheel), 288
 nose-leaf, 585, 589, 593. *See also* bats

O

- obsidian, 8, 69–70, 133, 138–139, 163,
 180, 290, 292, 310, 325, 341, 422, 558,

- obsidian, *continued*
 612, 614
- ocelot, 106, 203, 216, 324, 388
- offerings: agricultural, 278; associated with the four directions, 274; of bobwhite, 505; in codices, 274; contexts, 91, 136, 169, 176, 179, 182, 315; of deer, 29, 37, 228–230, 233, 261–263, 268, 270, 276, 320, 344; of dog, 143–146, 557–558, 566–571, 573, 577–579; dedicatory, 146; of faunal elements, 228, 239, 273, 320, 337, 345; and feathers, 226; food, 227–228, 230; funerary, 11, 26, 144, 161, 199–200, 238, 557, 568; of hens, 274; of iguana, 216; of macaw, 524–525; of monkey, 171–172; mortuary, 233, 261, 276, 342; of rabbit, 183, 186, 228; of snake, 224; of turkey, 187, 230; votive, 317.
- See also* sacrifice; shrine
- Olmecs, 3, 8, 10, 69, 95–128, 278, 568, 611–612; collapse of, 97. *See also* Epi-Olmecs; iconography
- opossum, 27, 106, 125, 135, 136, 171, 173, 175–176, 178, 202, 213, 215–215, 226, 246, 250, 426, 431, 434, 436, 500, 550, 604, 617–618, 620, 630
- oratory, 243–244, 246, 248, 250, 253–256, 262, 264, 273. *See also* hall; shrine; temple
- Osario (Chichén Itzá), 195, 197, 200, 218, 220–221, 229–230, 238, 620
- osprey, 486, 503, 521, 524, 624
- osteometrics. *See* dog, osteometric analysis of
- otoliths, 60–61, 195
- owl, 490, 504, 521–522; barn, 175–176, 490, 506, 522, 527, 625; barred, 175, 179, 617; great horned, 172, 175, 179, 242; mottled, 490, 507; pygmy, 490, 522; screech, 242, 490, 504, 522; spectacled, 490, 522, 526; striped, 504, 506, 522, 527
- Oviedo y Valdés, Gonzalo Fernández de, 603
- oyster, 24, 180, 432, 451, 472–474
- Oztoyahualco, 186, 569
- ## P
- paca, 202, 297, 324, 361, 364, 369–371, 373–374, 377, 427, 431, 434, 436, 500, 547–548, 550–551, 618, 626
- Pacific coast, 7, 10, 11, 17, 26, 68, 75, 138, 388, 409, 411–412, 425, 444, 473, 492
- palace: Chinikihá, 18, 315–316, 323, 325–327, 331, 337, 339, 346, 348, 615; Kaminaljuyu, 383; Mayapán, 240, 244, 246, 248, 250, 253, 256–257, 259–260, 263, 265, 269, 273; Tetitla, 569, 587; Yaxuná, 199
- Palangana (Kaminaljuyu), 386, 388–389, 391, 395, 401–402, 404, 406, 410–411, 415, 612
- Paleoindian period, 8–9, 507
- palm fruits (carbonized), 504
- Panquetzaliztli*, feast of, 580
- papaya, 438
- parakeet, 93, 405, 489, 492, 506, 518, 525, 527–528, 624–625
- Parita (chieftain), 515
- parrot, 81, 90, 94, 205, 242, 492–493, 503–504, 508, 518, 528, 623, 625; amazon, 489, 504, 506, 508, 518, 526
- Passeriformes, 84–88, 91, 93–94, 214, 491–493, 499, 513
- patio, 285, 615, 617, 619; Isla Cilvituk, 292, 295, 300, 302, 305–306, 308–313; Mayapán, 261; Teotihuacán (Patio Central), 53, 61, 64
- peccary, 106, 137, 149, 200, 203, 218, 236, 238, 240–242, 245, 248, 251–256, 258, 264–266, 270–271, 273, 275–276, 289, 345, 369, 371–374, 376–377, 379, 405, 417, 426, 434, 436, 548, 610, 618–622, 627, 629; collared, 106, 135–137, 166, 171–173, 175–176, 179, 201, 203, 223, 330, 361, 364, 426, 434, 545, 547
- Pele Polychrome ware, 278
- pelican, 200, 204, 485, 502, 506–508,

- 517, 524, 613
pig, 203, 361, 363–364, 369, 371–372,
 374–375, 377–378, 393, 399–400,
 403–404, 627. *See also* salt pork
pigeon, 81, 90, 92–94, 171, 205, 488, 519,
 625
pineapple, 438
pinna, 585
Piquete Ziña (deity), 589–590
plastron, 296, 301, 310, 365. *See also* cara-
 pace; turtle
Pleistocene, 9
pluvial pattern, 49
Pohl, Mary, 237, 276
Polychrome period, 423, 435. *See also*
 ceramics, polychrome
Popol Vuh, 601
Popolucans, 71
porcupine, 247, 250, 623
postabandonment. *See* fauna remains,
 postabandonment
pottery. *See also* ceramics
poultry, 287–288
preceramic site, 9, 14, 158, 480, 482, 526,
 566
preservation, 18, 56–57, 73, 271, 281,
 290, 359, 362–363, 397–398, 474,
 480, 534, 587; diagenesis, 329, 544;
 differential, 213, 333, 411, 505. *See also*
 food preservation; taphonomy
prey choice model, 465
priests, 146, 185
procurement strategies, 105, 111, 153,
 155, 177, 189, 231, 282, 286, 294,
 307–308, 311–313, 352, 432, 444, 448,
 473, 561, 609, 628, 629; local, 222–223
Programme for Belize (PfB), 353, 356
Proskouriakoff, Tatiana, 239
proscriptions/taboos, food, 127
Protoneolithic period, 9
pulque, 185, 599, 617
- Q**
- quail, 92–93, 108, 388, 401, 405, 408–
 409, 493, 508, 528, 625; bobwhite,
- 392, 399, 505, 519, 527, 613; *Colinus*,
 529; Montezuma, 87, 171–172, 175,
 179, 617; scaled, 87
quantification, 61, 195, 200, 281, 358,
 448; NISP (as vs MNI) xxvii, 104,
 158, 164–165, 195, 200, 242, 328, 358,
 390, 424, 450, 564
quauh totototli (bird), 92
quetzal, 8, 52, 242, 614
Qaaw'a Sotz ("lord bat"), 589
Quetzalcoatl (deity), 599; Pyramid/Tem-
 ple of (Teotihuacan), 66, 569–570
Quiche language, 601
- R**
- rabbit, 27, 107, 122, 149, 153–154, 168,
 171–178, 188–189, 213, 231, 242,
 247, 249, 251–252, 258–266, 272,
 335, 338, 388, 399, 401, 403, 406,
 408–409, 427, 431, 434, 436, 547–548,
 550–551, 613, 616–617, 619–620, 622,
 629; association with elite, 181–186;
 breeding, 186; cottontail, 167, 171,
 183, 186, 215–216, 228, 393, 400,
 407, 444, 610; in diet, 135, 153, 167,
 173–175, 180–181, 183; forest, 330;
 fur, 154, 186; hunting, 184; jackrabbit,
 135–146, 167, 175–176, 178, 183, 610;
 ritual use of, 181–186; symbolism,
 185, 228; in textile production, 181,
 185–186; tropical, 330
raccoon, 106, 171–172, 202, 330, 335,
 338, 361, 426, 431, 436–437, 616, 619;
 deposition of in burial mounds, 23, 25,
 29, 31, 43, 45; tooth modification, 23,
 31, 43, 45–46
rail, 361, 365, 369, 506, 517, 548, 551
rain god, 117
rain rites, 49
raw materials, 52, 67, 81, 84–85, 116,
 320, 342, 345, 569–570
ray, 200, 211, 524, 620
recovery methods, 27, 104, 407; flotation,
 27, 104, 124, 296, 543, 547; screening,
 104, 111, 219, 389, 407, 543

- reclamation. *See* fauna remains
- recycling. *See* fauna remains
- red snapper, 49, 61, 71, 73, 75, 138, 614
- regression formula, allometric, 30–31, 46.
See also scaling
- rejollada.* *See* sinkhole
- relative frequency (RF), 295–298
- religion, at Mayapán, 233–279; as shared characteristic, 8. *See also* ceremony; ritual; sacrifice
- relocation, forced, 287
- reptiles, 27, 59, 108, 135, 137–138, 172, 175, 197, 200, 206, 213, 231, 295–296, 324, 339, 360, 363, 373, 398, 400, 428–429, 432, 435, 438–439, 444–445, 480, 501, 526, 545, 547, 550–551
- richness. *See* diversity (animal)
- rigor mortis*, 73
- ring midden, 285, 309, 312. *See also* midden
- ringtail, 171–172, 247, 250, 426, 436, 623
- ritual: and the agricultural cycle, 77; Aztec, 143–144, 148; consumption, 191–192, 323; contexts, 16, 18, 191–192, 212, 217–218, 221, 228–229, 231, 234, 315, 319–321, 339–340, 344–345, 564; deposits of animal remains, 197, 199–200, 221, 224, 317, 413; deer in, 253; dogs in, 143, 147, 228, 340, 572; and elites, 237; paraphernalia, 137–138, 150, 342; purification, 147–148; associated with rain, 49; specialists, 138, 150, 160; termination, 199; Uayeb, 274; use of animals in, 193, 199, 212–221, 231, 234, 237, 320, 535, 570; turkeys in, 187
- rodents, 27, 107, 213, 215–216, 219–220, 242, 287, 289, 297–298, 309, 312, 322, 335–336, 342, 358–358, 390, 393, 427, 431, 434, 436, 547, 611
- Rosario phase, 132, 156, 159, 160–161, 165, 168, 170–172, 180
- Royal Ontario Museum, 424, 440
- ruddy quail dove, 489, 503, 519, 526
- “ruler of the water” (deity), 71
- rural sites, 99, 102, 105, 111, 115–118, 125–127, 191–192, 216, 229, 288, 341, 412, 611

S

- sacrifice, animal, 123, 183, 191–193, 612, 615–616, 623; among the Aztec, 148; of deer, 274; of dogs, 237, 271, 274–275, 405, 413–414, 558, 611, 622; among the Maya, 212, 226, 233–234, 237–239, 271, 273–274, 277, 405, 413–414, 558; among the Totonacs, 71. *See also* offerings
- sacrifice, human, 225–226, 274: of children, 133–134, 147
- sacrificial shaft (Mayapán), 241
- sacrum of Tequixquiac, 13
- Sahagún, Bernardino de, 23, 43–44, 185
- sajalob*, 225
- salt, as preservative, 76, 79, 115, 149, 355–356, 377, 433–434, 448, 507, 611, 613, 615, 620, 622; mining, 160, 177, 221; as commodity, 375, 409, 433, 612, 621–622, 626
- salting, 49, 56, 64, 73, 124
- salt flat, 221, 482–483
- salt pork, 355, 377, 627
- sampling, 44, 222, 435, 561; design/strategy, 104, 281–283, 306
- sanctuaries, at Mayapán, 234, 273; Q-79, 243, 246, 249–250, 255, 262, 265; Q-72a, 253, 255, 265; Q-162b, 267; Q-163a, 254–257, 259–260, 262, 264
- sandpiper, 90, 503, 507, 517, 624–625
- San José phase, 132, 159
- San Lorenzo phase, 100
- Santa María tradition, 11
- sardine, 61
- scaling, 30
- scavenger/scavenging, 328; birds, 84, 86, 91, 520, 624; dogs, 122, 143, 308, 612
- Scott, Stuart, 23
- sculpture, 99, 268: animal, 267, 277; bat, 604; dog, 267, 277; feline, 250; miniature, 267, 278; monumental, 100,

- 383–384; serpent, 267, 277; tenon, 267; turkey, 267–268; turtle, 267
sea, 73–74, 76–77, 79, 194, 221–222, 482, 500–501, 503, 507–508; coasts, 307; pelagic, 201, 222, 433
sea level, 53, 388, 500, 526
sea urchin, 49, 52, 55, 57, 60, 66–67, 614
seal, 200, 203, 620
sedentism, 103
serpent staff, 263, 267
settlement agriculture, 282–286, 307, 312
shallow water (as animal habitat), 66, 137, 211, 222–223, 451, 472
Shaman in Transformation Pose, 117
Shannon-Weaver Function, 105, 111–112, 124
shark, 247–248; bull, 614, 70–71, 105; great white, 176; meat of, 620, 622; requiem, 171
shark tooth, 123
shell mounds, 24
shrine, 228–229, 234, 239, 243, 246, 248–250, 252–253, 255–256, 259–260, 262–265, 273, 292, 589. *See also* altar
sinkhole (*rejollada*), 292. *See also* cenote
skeletal elements, 27, 37, 53, 55–57, 61–62, 64–66, 104, 139–140, 144, 148–150, 165, 175, 177, 187, 196, 226, 228, 238–239, 245, 250–251, 267–271, 276, 294–296, 300–304, 320, 329, 337–340, 342–347, 354, 358, 364–365, 377, 390–391, 450, 502, 586; astragalus, 36, 148, 250, 302–303, 344, 346, 363; axial, 141–142, 214, 216, 220–222, 267–268, 270, 337–338, 344–345, 364; bird, 226, 505, 518; calcaneum, 36; claw, 55, 68, 250, 521; cranial, 55, 61, 118, 175, 228–229, 302–303, 318, 337, 345, 364, 377, 399, 407, 410; distal, 220, 344, 399, 505, 521, 407; femur, 35, 43, 140, 147, 175, 245, 250, 301–304, 338, 344, 347, 521, 619; fish, 61–62, 222; head, 138; foot, 140, 148, 220, 250, 270–271, 399; humerus, 34, 42, 140–141, 145, 147–148, 245, 250, 301–304, 334, 338, 344, 347, 523; jaw, 37, 250, 405; limb, 140–141, 143, 148, 183, 213–214, 216, 220, 227–228, 245, 268, 270, 275, 296, 364, 399, 404, 407; leg, 216, 227, 344–345; mandible, 30, 140–143, 145, 217–228, 229, 251, 268, 303, 399, 525, 573, 589; molars, 30–31, 33–34, 38–39, 42, 143–144, 217, 363; pelvis, 245, 250, 268, 270, 275, 334, 338, 344, 347, 407; phalanges, 141, 241, 245, 250, 270, 272, 275, 296, 302–303, 521, 561; postcranial, 118, 175, 213, 218, 222, 226, 318, 364; premolars, 28, 30–33, 37–38, 40, 42–44, 141–143, 217, 572; radius, 35, 42, 68–69, 140–141, 245, 261, 276, 286, 296, 302–304, 334, 338, 344, 516, 528; rib, 116, 270, 275, 301, 304, 364; shoulder, 245, 270, 275; skull, 25, 28, 37, 44, 60–61, 65, 138, 140, 143, 145, 172, 214, 216, 218, 220, 241, 245, 250, 267, 270–271, 275–276, 344–345, 347, 405, 410, 557, 569, 573; teeth/tooth, 55, 61–62, 68, 70–71, 123, 135, 137–141, 143, 148, 150, 171, 173, 216, 218, 250, 272, 300, 302–303, 328, 335, 369, 390, 405, 561, 563, 573; tibia, 35, 43, 141, 143, 145, 245, 296, 302–303, 334, 337–338, 344, 347, 362, 563; vertebra, 61, 68–69, 141, 213, 225, 245, 248, 250, 261, 268, 270, 275–276, 296, 300–304, 328, 334, 337, 346, 364, 424, 434, 623; wing, 218, 296
skull, 214–215, 245, 250, 275, 344; bird, 271; deer, 216, 218, 267, 270, 345, 347, 619, 622; dog, 28, 44, 140, 143, 145, 270–271; fish, 60–61, 65, 138; iguana, 270–271; parakeet, 405; spider monkey, 172; turkey, 220
skunk, 106, 171–172, 175, 178, 617
smoking (preservative), 56, 64
snail: apple, 294, 296, 360, 366, 369–370, 374, 430, 432, 618, 626; single-banded moon, 450–451, 455, 460, 463, 472–474
snakes, 27, 105, 109, 213, 224–225, 263,

- snakes, *continued*
 289, 424, 428, 432, 435–436, 438, 620;
 in iconography, 268; poisonous, 432;
 rattlesnake, 207, 213, 215
 snapper, 27, 49, 55, 61, 71, 75, 110, 138,
 171–172, 200, 209, 360, 392, 401, 409,
 610–612, 614, 620
 snook, 27, 49, 75, 110, 120–121, 200–
 201, 209–210, 360, 366, 369, 409, 612,
 614, 619–620
 social change, 192
 social class, 118, 237. *See also* status
 social complexity, 10, 413, 541
solar, 285, 288. *See also* house lot
 solar god. *See* Quetzalcoatl
sotz “bat,” 616
 Spanish conquest, 7, 12, 83, 417–418,
 520
 spindle whorl, incised, 23, 25–26, 40,
 44, 46
 spinning, 185–186
 spiral fractures, 216, 220, 227
 spoonbill, roseate, 486, 506, 517
 squash, 7, 158, 222, 421, 444, 493, 504
 squirrel, 107, 172, 175–176, 178, 427,
 548, 617
 staple. *See* food staple
 star fish, 77, 615
 statue: of gods, 234; in ritual contexts,
 239; of a woman grinding, 278
 status, 95, 313, 409, 608. *See also* elites;
 social class
 — differences/variation in, 99–101, 103,
 124, 127, 153, 160, 183–184, 259, 313,
 343, 376, 382
 — high-status: animals, 381, 410–414,
 629; apparel, 137, 150, 175, 186; burial
 ground, 524; food, 272, 410; household,
 133, 137, 147, 150, 155, 163,
 165, 180, 183–185; people, 97, 124,
 348
 — low-status: feasting, 341; household,
 171, 181, 183–185
 — social status, 100, 150; consolidation
 of, 413; and dogs, 413, 415; linked to
 consumption 180–181, 192, 339
 — symbols, 410, 413, 629
 stewing, 56, 303, 305, 308. *See also* food
 preparation
 stingray, 123, 139, 171, 180, 208,
 243–245, 405, 409
 storage, 288, 292, 308, 310, 340, 342,
 416; chultun, 292; facilities, 103, 313;
 of maize, 103; pits, 102; vessels for,
 341
 structural core (of house lot), 285, 295,
 300, 302, 306, 312
 subdermal plates. *See* crocodile
 subsistence practices/strategies, 9, 12, 15,
 17–18, 95, 97, 99–101, 103, 120, 122,
 124, 126–127, 129, 153–155, 158, 161,
 165–167, 172, 173, 180, 188, 233, 278,
 281, 286–288, 315, 351–352, 356, 359,
 365, 373, 376–379, 417, 419, 421, 433,
 438–439, 443, 465, 535, 540–541, 545,
 608–609
 Subtiaba culture, 7
 sun, 226, 602, 623
 supernatural monster birds, 117
 sweat bath. *See* temazcal
 symbolism (animal), 81, 224, 231, 233,
 263, 267, 319; as a form of exploita-
 tion, 81; bat, 20, 583, 604, 616; bird,
 267; deer, 275–276; directional, 276,
 599; dog, 274, 413, 579–581; hawk
 and falcon, 116; marine toad, 117;
 rabbit, 228; snake, 225; turkey, 227. *See*
 also iconography

T

- tamale, as offering, 73, 230, 274, 342, 622
 taphonomy, 18, 195, 281–282, 312, 318,
 322–323, 535, 543. *See also* burning;
 cut marks; erosion; fragmentation;
 gnawing; weathering
 tapir, 203, 242, 246–247, 250, 272, 289,
 297, 324, 361, 388, 613, 623
temazcal, 133, 146–148
 temple
 — Chichen Itzá. *See* Osario
 — Mayapán, 234, 238–240, 243–244,

- 246, 248–250, 252, 267–268, 273, 278; burial shaft temples, 234, 238, 241, 243–244, 248, 254, 256, 260, 262–263, 265, 272; Pescador temple, 272, 278; Q-82 serpent temple, 234, 248–249, 253, 255, 259, 262, 265; Q-152 round temple, 248–249, 252–254, 259, 262, 264, 271; Q-153, 252–254, 262, 264, 274, 622; Temple of Kukulkan, 234, 252–253, 274, 278, 621; Temple of the Painted Niches, 234; Templo Redondo (Mayapán), 234, 240, 252–253, 259–260, 271–274, 277, 622. *See also* cenote, Ch'en Mul; Quetzalcóatl, Pyramid/Temple of — Tenochtitlán: Templo Mayor, 16, 91, 568, 571
Temple University, 445, 476
tenon. *See* sculpture
Teopancazco (Teotihuacan), 17, 49, 51–53, 57–58, 60, 62, 64–65, 69, 73–74, 76–77, 569, 614
Teotihuacan Ciudadela, 53
Teotihuacanos, 3
tern, 488, 507, 517
terrace/terracing, 97, 101, 162–164, 182–187, 290, 292, 295, 298, 310, 326, 617–618
Tetitla Palace (Teotihuacan), 569, 587
textile production, 181, 185
theory: ecology, 538; information theory, 105; optimal foraging theory/prey choice model/foraging efficiency, 165; postprocessual archaeology, 16, 538; processual archaeology, 15, 535, 537, 553; systems theory, 535
threadfin, 27
Tierras Largas phase, 132, 156, 159–161, 168, 173
tlacatzinacantli, tzinacantli, 599–602, 616
Tlaloc figures, 66.
Tlamimilolpa phase, 50, 53
Tlaxochimaco, feast of, 580
tlalchichi (dog), 44–45, 570, 574
Tlotzin Map, 600
toad, 109, 117, 243–244, 247, 429, 432, 435–436; cane, 206; marine, 109, 117, 432, 436; poisonous, 435–436
Toltec tradition, 12
tools, 17, 52, 627; for bloodletting, 123; bone, 138, 187, 320, 335, 344, 346, 434, 564, 569–570, 573, 617; grinding, 420; manufacture of, 17, 308–309, 320, 344, 346, 558, 569–570; metal, 375; stone, 8, 133, 138, 150, 310, 443, 448, 473, 504; for weaving, 321
tortilla griddle, 161
Totonacs, 71
trade: in birds, 93; center, 198, 199, 620; with Europeans, 375; in exotic animals, 409–410, 519, 524–525, 529, 623; in marine fish, 149, 222, 409–410, 433, 613, 620, 623; in marine shell, 500; of nonlocal animals, 172, 193; in rabbit fur, 272; relationships, 69, 221–222, 384–385, 408, 608, 618, 629; small-scale, 609, 629
tragus, 585, 593, 616
transportation networks, 56, 64, 73, 282, 343, 355, 357, 377
traps, 115, 434, 519, 527, 614, 618; intertidal, 444, 473
Trent University, 424, 439–449
troughs, water and feed, 288
turkey, 27, 122, 125, 135, 137, 149, 153–154, 171, 175, 181, 188–189, 201, 211, 221, 224, 230, 233, 240–242, 247, 249, 251–252, 259–260, 263–267, 270–271, 273–275, 277, 286, 288, 296, 312, 361, 365, 375, 411, 432, 434, 436; anthropic modification of bones, 227; domestication of, 7, 17, 81–82, 175–177, 180–181, 186–189, 224, 623, 628–629; eggshell, 179; in iconography, 241, 267–268; identification of, 187, 195; ocellated, 135, 137, 187, 205, 211, 214, 223–224, 231, 241, 621; as offering, 187, 230; raising, 186–188; ritual use of, 187; symbolism, 227; wild, 81–82, 87, 94, 108, 135, 137, 187, 201, 219, 224, 241, 365. *See also* guajolote
turkey vulture, 213–214, 226, 361, 625

turtle, 27, 97, 99, 105, 108, 116, 120, 124–125, 137, 173, 175–176, 211, 231, 294, 296–298, 302, 306–308, 310, 312, 330, 335, 338, 358, 360, 365–366, 369–374, 376–377, 379, 388, 390, 405–408, 411, 417, 424, 432, 435, 505, 616, 619, 622, 627–628, 630; anatomical part representation, 301; box, 109, 119–121, 126, 206, 360; hawksbill, 201, 620; at Mayapán, 242, 247, 249, 251–252, 260–262, 264–266, 271; mud, 108–109, 136–137, 149, 167, 171–173, 175, 179, 206, 330, 398, 429, 500, 610, 617–618, 626; as musical instrument, 335; musk, 27, 109, 119, 121, 206, 392, 408; in nonelite diet, 120, 125; painted, 429, 432; river, 108, 171–173, 175, 179, 206, 330, 360, 366, 618; sea, 200–201, 206–207, 210–211, 231, 444, 524, 614, 620; slider, 360, 547, 548, 613; snapping, 108, 429. *See also* carapace; sculpture

Tzacualli phase, 50

Tzinacantan, 584

tzonyayauhqui (bird), 87, 89

tzotz, 584, 592, 616

Tzotzil people, 584

U

Uayeb ritual, 274

ubiquity (UB), 241, 292, 295, 297–299, 306, 336. *See also* diversity

underworld, 122, 226, 228, 276, 413, 569–570, 580, 601–602, 605, 622; bats and, 226, 601–602, 605; dogs and, 23, 122, 228, 413, 570, 580; vultures and, 226

Universidad de los Andes, 534, 554

uropatagium, 586, 589

utensils. *See* tools

utility index, 343–346

u tz'ibal, 592

V

vulture, 226, 242, 361, 429, 486, 504, 507, 521

W

warfare, 116, 172, 177

wax, 307, 618

weapon, 597; spear-thrower, 597.

weasel, 106, 171–172, 175, 178, 426, 437, 617

weathering, 295, 303, 305–306, 312, 331, 335, 342, 358–359, 390, 397. *See also* taphonomy

wetlands, 307, 424, 431, 437–438, 517

whistle, 180, 267, 435, 591, 593–594

white-tailed deer, 210; antler, 23, 216, 363; burial, 25, 213, 216, 228, 261, 276, 340; butchery, 335–336, 343, 345–346, 616, 619; at Cerro Mangote, 503; at Chinikihá, 18, 315–348; in ceremony, 123, 340; in Classic-period Mexico, 558–559; consumption, 122, 124, 135, 149, 153, 167, 172–175, 177, 181, 277, 348, 444; declining populations, 172; deposition of in burial mounds, 23, 25, 27, 29, 37; domestication of, 223, 331; in elite contexts, 116, 118–120, 122–123, 125, 320, 340, 348; in feasts, 123, 315–349, 622; hunting, 166–167, 172, 177, 179–180, 197, 211, 229, 238; husbandry, 8, 275; at Kaminaljuyu, 399–401, 407, 410; kept in captivity, 123; in the Marismas Nacionales, 23; in Mayan sites, 201, 211, 223, 228, 231, 401; at Mayapán, 233, 236, 241–242, 248, 248, 251–259, 261, 267–268, 270, 273, 276; in the Mixteca Alta, 135, 147, 149; as offering, 228–230, 233, 261, 268, 270, 276; at San Cristóbal, 436–437; skull, 23, 216, 267, 347, 619, 622; symbolism, 275–276; use among the San Pedro Maya, 371

wild game, 154, 289, 307, 311, 373,

- 375–379, 438, 627. *See also* animals, wild
- Wilk, Richard, 286, 292
- Wing, Elizabeth, 571
- woman/women, 603; giving birth and, 147; interment of, 261; statue of, 278
- woodpecker, 81, 92–94, 108, 137, 175–176, 491, 518–519, 526–527, 612, 624–625
- workshop, 100, 523
- Wyss, Susan Bursey, 419, 421, 435, 439
- X**
- Xalapa Anthropological Museum, 589, 592–593
- Xibalbá, 601–602, 616. *See also* underworld
- xiuhpohualli* calendar, 593
- xiuhtotol*, 92
- Xochiquetzal, goddess, 599
- Xolalpan phase, 50
- xoloitzcuintli* (hairless dog), 30, 43, 82, 141–143, 572
- Z**
- Zapotecs, 3, 12, 15, 17, 131, 137–138, 149, 153–154, 166, 185, 188–591, 617–618
- zip*, lord of the deer, 229
- zone: catchment, 235; domestic, 234, 296–308; ecological 95, 103; environmental, 433, 437; intermediary, 285, 295, 300, 302, 306, 309–310, 312; interstitial, 295, 299–300, 302; intertidal, 451, 455, 472, 503; lacustrine, 290, 313; metropolitan, 557; monumental (Mayapán), 234–235, 238–241, 260, 271–273; settlement, 241, 251, 258–259, 285, 292, 307, 312–313
- zooarchaeology, 52, 532–541; applied, 544; Colombian, 13, 539, 552–553; history of research, 13–16
- zolin* (bird), 87
- zotz* (glyph), 602

INDEX OF PLACES

MODERN PLACE NAMES

- Alijos Islands (Mexico), 523
Altiplano Cundiboyacense, 534–538
Argentina, 532, 539
Atoyac River, 2
Baja California, 16, 66
Belize, 11, 14, 116, 137, 187, 222, 228,
 234, 236, 277, 284, 285, 286, 340,
 351–380, 383, 586, 627
Belize City, 356, 359, 376
Bogotá, 534
Brazil, 139, 536, 539
Calakmul Biosphere, 240
Campeche, 137, 198, 282, 294, 562, 567,
 591, 594–595
Cañazas, 475
Celestún (Yucatán), 221
Central Pacific Panama. *See* Panama.
Cerro de las Mesas, 70, 562
Chiapas, 18, 137, 315–349, 409, 562,
 566, 570, 581, 586, 597, 615–616
Chile, 501–502, 516, 523, 539
Chunbalche (Belize), 354–355
Chunhuhub, 288–289
Chuniapan de Abajo, 102
Chuniapan de Arriba, 102
Clipperton Island (France), 523
Cocos Island (Costa Rica), 523
Colombia, 7, 13, 19, 523, 531–555
Colombian Caribbean, 3, 532, 539–540,
 544, 546, 548, 554–555
Cozumel, 4–5, 193, 234, 237, 336, 340,
 562, 567, 571
Cubitá (pueblo de indios, Panama), 515
Darién coast, 493, 500
Ecuador, 66, 523, 539
England, 353
Galápagos Islands (Ecuador), 523
Great Nicoya (Costa Rica), 11–12
Gregorio Méndez (Tabasco), 323
Guadalajara (Mexico), 28
Guatemala, 7, 10–11, 14, 74, 118, 137,
 187, 228–229, 319, 375, 378, 382–383,
 389, 415, 422, 586, 629
Guatemala City, 381
Guyana, 531
Hidalgo (state of), 69, 562
Hill Bank Camp (Belize), 354, 356
Huaca Prieta (Peru), 67
Isla de Afuera Islands, 523
Isla del Rey (Pearl Islands), 483, 500,
 508, 524
Juan Fernández Island (Chile), 523
Malpelo Island (Colombia), 523
Managua, 419, 439
Marismas Nacionales, 2, 23–47, 562,
 567, 571–572, 619–620
Mexico (state of), 6, 10–11, 13–15,
 17–18, 23, 53, 66, 68–69, 81–94,
 129–151, 153–190, 198, 224, 228,
 281–314, 353, 359, 409, 413, 417, 525,
 539, 552, 560–564, 566–567, 573, 576,
 577, 579–580, 583, 586, 607, 619–620,
 629. *See also* Basin of Mexico
Mexico City, 1, 13, 15, 53, 91, 534, 557,
 562, 565, 567
Michoacán, 562, 566, 569
Mitla, 163
Mixteca Alta, 17, 129–151, 610; Higher,
 2; Lower, 2
Morelos (state of), 7, 16, 562–563, 566,
 568, 587
Nayarit, 15–16, 23–24, 46, 562, 567, 571
Oaxaca, 7, 10, 12, 15, 17, 62, 129–151,
 153–161, 166–167, 175, 177, 180–181,
 183, 185, 187–190, 562, 570, 584,
 588–590, 610–611, 629
 Valley of, 2
Ometepe Island, 432

- Orange Walk (Belize), 352, 354, 356–357
 Otumba, 69
 Panama, 7, 9–12, 19, 223, 434, 443–477, 530, 536, 613, 623, 629–630
 Central Pacific Panama, 443–444, 613–614
 Panama Canal, 2, 508
 Panama City, 500
 Parque Morelos, 508
 Pearl Islands, 473, 479–482, 492, 501–502, 507–508, 524, 530
 Pedro González Island (Pearl Islands), 500–502, 507, 524
 Peru, 67, 138
 Petén, 284, 289–290, 375, 409
 Puebla (state of), 7, 187, 563, 566
 Quintana Roo (state of), 137, 193, 228, 562, 567, 570
 Reforma Agraria (Chiapas), 323
 Revillagigedos Islands (Mexico), 523
 San Blas–Mazatlan (Sinaloa), 567
 San José (Belize), 354–355
 San José Island (Pearl Islands), 500
 San Pedro (Belize), 354–355
 Santiago Matatlán, 163, 185, 190
 Sian Ka'an Reserve, 240
 Sierra de las Navajas, 69–70
 Sierra Madre Oriental, 53
 Sierra de Pachuca, 53
 Sinaloa, 3, 7, 15–16, 23, 46, 562, 567, 571
 Sierra de las Navajas, 69–70
 Sierra de Pachuca, 53
 Sierra Madre Oriental, 53
 Sonora (state of), 562, 566, 568
 South America, 3, 7, 9, 11, 19–20, 531–555, 607, 630
 Tabasco, 10
 Tamaulipas (state of), 61, 74
 Teacapan, 26
 Tekit, 276
 Telchaquillo, 240, 274
 Tlaxcala (state of), 563, 567, 570
 Venezuela, 531
 Veracruz (state of), 7, 49, 70–72, 74, 76, 285, 589, 592, 614–615

ARCHAEOLOGICAL SITES

- Acanceh, 4–5, 276
 Aguadulce Shelter, 481–482, 504, 521
 Aguateca, 4–5, 199, 231
 Altamirano (Veracruz), 562, 566, 568
 Altotonga, 70
 Arenal-1 (Chile), 516
 Arrinitas, 26, 29, 31, 33, 38–39, 41
 Arroyo de Piedra, 336
 Arroyo Hueyapan, 101
 Atrato River Basin, 7
 Balam Kú (Campeche), 591, 595
 Bayak, 4–5, 336
 Becán, 4–5, 193, 562, 567
 Bezuapan, 4–5, 95–96, 98–99, 102–118, 122–128
 Boca del Drago, 4–5, 529
 Bocas del Toro, 4–5, 529
 Cacaxtla, 11
 Calakmul, 4–5, 240
 Caracol, 231, 340, 383, 410–412, 586
 Casas Grandes (Chihuahua), 90
 Cave of the Gallo (Morelos), 563, 566, 568
 Caye Coco, 276
 Ceibal, 4–5, 231, 276, 344–345, 411
 Cerro Brujo, 479, 529
 Cerro el Tigre, 4–5
 Cerro Juan Diaz, 473, 475, 481–482, 493, 501, 506–508, 515–530, 623–624
 Cerro Mangote, 475, 481–482, 502–504, 519, 527
 Cerro Tigre, 444, 507
 Chac Mool, 4–5, 228, 570, 572, 580
 Chachalacas, 70
 Chalahuites (Veracruz), 566, 571
 Chalpa, 4–5, 24, 25, 26, 29, 31–46, 571, 619–620
 Champotón (Campeche), 4–5, 191,

- 193–198, 200–209, 211, 234, 276, 562, 567, 620–621
Chicanna, 4–5
Chichén Itzá, 4–5, 11, 14, 118, 191, 193–198, 200–202, 204, 206, 208, 211–212, 218–222, 225, 229, 238, 240, 562, 567, 576, 586, 620
Chingú, 4–5, 69
Chinikihá, 4–5, 18, 315–350, 615–616
Chunchucmil, 221–222
Chuniapan de Abajo, 102
Chupícuaro, 122
Coatepec village, 188
Cobá, 4–5, 225
Colha, 237, 383, 412
Copán, 383, 591, 593, 598, 616–617, 231
Coxcatlán Cave, 4–5, 187–188, 586
Cozumel (Quintana Roo), 4–5, 193, 234, 237, 336, 340, 383, 562, 567, 571
Cristo Rey, 26, 29, 31–36, 38–39, 41
Cuajilote, 4–5
Cuauhémoc (Soconusco region), 383, 411–412
Cuello (Belize), 4–5, 228, 276, 383, 412
Cueva de los Ladrones, 482, 500, 504, 521,
Cueva de los Quetzales, 4–5, 340
Cueva de los Vampiros,
Cuicatlán
Cuiculco, 10
Dos Pilas, 336, 346, 586
Dzibilchaltún, 191–194, 196, 198, 200–209, 211, 221–222, 383, 411, 621
Ejutla, 130, 157, 161, 166, 168–169, 173–175, 181, 187, 190, 617
Ek Balam, 4–5, 375
El Cafetal, 475
El Cerén (El Salvador), 337, 339–340
El Colón, 24
El Indio, 475
El Mirador, 4–5, 10, 336
El Palmillo, 153, 155–157, 161–164, 165–166, 173–177, 180–187, 189–190, 617
El Pital, 70, 72
El Riego Cave, 188
El Rosario, 4–5
Etla, 4–5
Fábrica San José, 130–131, 157, 160, 165–166, 170, 172–173, 177
Gran Chiriquí region, 11–12
Guadalupe (Michoacán), 562, 566, 569, 572
Guilá Naquitz, 4–5, 154, 156–157, 158, 166–167, 169
Hacienda Blanca, 562, 570
Holotunich (Belize), 18–19, 351–380, 627
Huaca Prieta (Peru), 67
Huapalcalco (Hidalgo), 4–5, 69
Huixtoco, 562, 566, 569
Hunchavín, 562, 567, 570, 572, 581
Isla Cerritos, 193, 222
Isla Cilvituk (Campeche), 4–5, 18, 281–314, 628–619
Izapa, 4–5, 10
Jaina Island (Campeche), 14, 591, 594
Juana Gomez, 26, 29, 31
Kakaramoa, 547
Kaminaljuyu (Guatemala), 5, 10, 14, 19, 118, 381–416, 612
K'axob, 345
La Blanca, 4–5, 383, 411
Lagartero (Chiapas), 4–5, 122, 123, 321, 332, 336, 345, 383
Laguna de Los Cerros, 4–5, 97
Laguna de On, 237, 623
La Joya (Veracruz), 4–5, 70, 95–96, 98–99, 102–105, 111–112, 115–118, 122–128, 611–612
Lamanai, 4–5, 375
La Playa (Sonora), 562, 566, 568
Las Higueras, 4–5
La Venta, 96–97, 117
Loltún Cave, 586
Los Quetzales Cave, 4–5, 340,
Maltrata, 72
Matacapan, 70, 72, 96
Mayapán (Yucatán), 4–5, 12, 14, 18, 192, 222–223, 228, 230, 233–279, 290, 345, 563, 586, 621–623
Mirador, 4–5, 10, 26, 28–29, 31–36,

- 38–39, 41, 336, 613
- Miraflores (Mexico), 407, 410–411, 414–415, 588
- Mitla Fortress, 153, 155–156, 161, 163–164, 166, 173–175, 178, 180–181, 186–190, 617–618
- Monte Albán (Oaxaca), 10, 130, 157–158, 562, 570, 588–589; Mixtec dominion over, 12
- Mopila, 225
- Nakbé, 4–5, 10
- Napatecuhtlan, 70
- Naranjo, 383, 389
- Nopiloa, 70
- Palenque (Chiapas), 4–5, 323–326, 562, 586
- Panales, 24
- Panales Peninsula, 24, 571
- Panamá Viejo, 4–5, 480, 508, 524, 528–529
- Pánuco River, 3, 6
- Paquimé (Chihuahua), 15, 525, 562, 567
- Patarata (Veracruz), 562, 566, 571
- Perote, 72
- Piedras Negras, 4–5, 14, 231, 320, 345, 586
- Playa Don Bernardo (Pedro González Island, Pearl Islands), 480–482, 501–502, 526, 530
- Progresso Lagoon (Belize), 276, 375
- Rincon de Panal, 26, 29, 31
- San Cristóbal, 19, 417–441, 626–627
- San Isidro, 547
- San José Mogote, 4–5, 130–131, 137, 142, 154–156, 158–161, 165–168, 170–173, 175, 177, 180–181, 185, 589–590
- San Lorenzo, 4–5, 95–105, 111–112, 115–118, 126, 130
- San Lorenzo Tenochtitlan (Veracruz), 15
- San Pedro Siris (Belize), 352–353, 363, 375–376, 627
- Santa Cruz Atizapan, 562, 570
- Santa Isabel (Nicaragua), 420, 422, 431–432, 435, 440, 627
- Santa Luisa (Veracruz), 562, 566, 571
- Santa Martha (Chiapas), 586
- Santo Domingo Tomaltepec, 131, 137, 155–156, 157–158, 160–161, 166, 168, 170, 172
- Seibal, 383
- Sihó (Yucatán), 4–5, 118, 191, 193–194, 196–198, 200, 202–209, 211, 221, 336, 562
- Sinaloa River, 3, 6
- Sitio Conte, 4–5, 12, 480–481, 523–524, 528, 623
- Sitio Sierra, 4–5, 475, 481–482, 493, 501, 505–506, 517–521, 524, 527–528
- Tamarindito, 336, 411
- Tayata, 17, 129–151, 610–611
- Tecolote Cave, 4–5, 562, 565–566, 579
- Tecualilla, 4–5, 24, 26, 29, 31–36, 38–41, 44
- Tehuantepec, 130
- Temamatla (Mexico), 562, 566, 568
- Tamarindito, 4–5, 336, 411
- Tenochtitlan, 12–13, 91, 96, 154, 562, 567, 570, 572, 623; conquest of, 13
- Teopanzaco, 17, 49–79, 569, 614
- Teotihuacán, 4–5, 10, 15, 17, 49–79, 186, 382–384, 409, 557, 559, 562, 566–567, 569, 576, 587, 614–615; decline of, 12
- Tepeapulco, 69
- Tepeyolo Cave, 563, 586
- Terremote-Tlatenco (Distrito Federal), Texcal Cave, 563, 568
- Tierras Largas (Oaxaca), 142, 158, 562, 570
- Tikal, 4–5, 70, 340
- Tipu (Belize), 4–5, 375
- Tlacotalpan, 72
- Tlapacoya, 10
- Tlatilco, 10, 413, 558, 562, 568
- Tres Zapotes, 4–5, 70, 95–96, 97–105, 111–112, 115–128, 611–612
- Tubará, 545, 547, 550
- Tula (Hidalgo), 4–5, 69, 228, 562, 567, 570
- Tututepec, 130
- Urias (Guatemala), 383, 412, 414
- Vampiros rockshelters, 4–5, 19, 443–477,

- 481, 483, 507, 529–530, 613–614, 628
 Venadillo, 26
 Xcambó, 191, 193–194, 196–197,
 199–202–209, 222, 562, 567, 620
 Xico, 562, 567, 570
 Xiutetelco, 70
 Xochicalco (Morelos), 4–5, 11, 562,
 587–588
 Yaxuná (Yucatán), 4–5, 191, 193–194,
 196–197, 199–200, 202–209, 211–214,
 217–218, 221, 224–225, 227–229, 276,
 562, 567, 586
 Yula (Yucatán), 193
 Zacatepec, 4–5, 72
 Zultepec Tecoaque (Tlaxcala), 563, 567,
 570

GEOGRAPHIC DESIGNATIONS

- Ajusco Volcano, 53
 Atoyac River, 155, 158
 Azuero Peninsula, 480, 506, 508–509,
 517–518, 520
 Basin of Mexico, 2, 7, 148, 154, 186, 558,
 568, 570, 579, 614–615, 624–625
 Belize River, 383
 Bezuapan River, 611
 Burica Peninsula, 2, 519
 Candelaria River, 193
 Catemaco River, 103, 611. *See also* Lake
 Catemaco
 Champotón River, 193
 Chiriquí Highlands, 9
 Coatzacoalcos River, 2, 99–101
 Cocle Plains, 9
 Ejutla Valley, 2, 154–157, 161, 166, 177,
 181
 Etla Subvalley, 4–5, 155–156, 158, 160,
 173
 Guatemalan Highlands, 228, 382, 387,
 612
 Gulf of Mexico, 17, 56, 60–61, 66–67,
 69, 72–73, 75, 138, 211, 282, 323, 383,
 568, 571, 615
 Hondo River, 193, 353, 383
 Lago Miraflores. *See* Lake Miraflores
 Laguna Silvituc, 282, 290, 298, 312
 Lake Catemaco, 2, 103
 Lake Gatun, 2
 Lake Managua, 2, 417–419, 425, 431,
 433, 438, 440, 626
 Lake Miraflores, 382, 384–385, 388, 408,
 414
 Lake Nicaragua, 2, 19, 22, 418, 431–432,
 440
 Lake Petén Itza, 383
 Madden Lake (Panama), 9
 Maya Highlands, 285, 381–416
 Motagua Valley, 388
 New River Lagoon, 355
 Nicaraguan Depression, 419
 Panama Bay, 479–530
 Parita Bay, 9–10, 19, 444–445, 473,
 479–530
 Papaloapan River, 101
 Petén Lakes, 290–291
 Puebla Valley, 7, 568, 586
 Río Balsas, 10
 Río Chamelecon, 383
 Río Chixoy, 383
 Río Comayagua, 383
 Río Grande, 2
 Río Grijalva, 383
 Río Hondo. *See* Hondo River
 Río Motagua, 383
 Río Pasión, 383
 Río San Juan, 431
 Río San Pedro, 383
 Río Usumacinta, 383
 Rivas Isthmus, 432
 Santa María River, 10
 Sierra de los Tuxtlas. *See* Tuxtla Mountains
 Sierra Madre Mountains, 387
 southern Gulf Lowlands, 95, 97
 Tecolote Cave (Hidalgo), 565–566
 Tehuacán Valley, 2, 187, 563, 565, 566

- Teotihuacán Valley, 557, 559, 569, 576
Tlacolula Subvalley, 155–158, 160–163,
 173, 175, 180–181
Toluca Valley, 7, 570
Tuxtla Mountains, 96–97, 99–103, 285,
 611
Valley of Guatemala, 381–382, 387
Valley of Mexico. *See* Basin of Mexico
Valley of Oaxaca, 2, 129, 131–132, 135,
 137–139, 141–142, 146, 148–150, 155,
 158, 160–161, 167, 175, 180, 183, 185,
 187
Yucatán Peninsula, 14, 18, 61, 66, 70,
 135, 137, 187, 192–195, 197, 216, 218,
 221, 223, 228, 229, 239, 274, 275, 276,
 282, 284–285, 287–288, 290, 295,
 336, 353, 355, 375–376, 383, 435, 560,
 562–563, 567, 571, 576, 579, 586, 618,
 620–621, 627

TAXONOMIC INDEX OF PLANT AND ANIMAL SPECIES

Common name varieties are separated by a slash (/). If the term refers to more than one group, these are separated by commas. More variety names in both English and Spanish are provided in the digital companion to this volume (<http://opencontext.org/projects/21A79037-01EA-4CBB-7048-6AA054FB4A0D>). Except where noted, taxonomic validity of nonmolluscan taxa has been verified on ITIS (Integrated Taxonomic Information System, <http://www.itis.gov/>), molluscan taxa have been verified using WoRMS (World Register of Marine Species, <http://www.marinespecies.org/index.php>). Invalid synonyms are noted with reference to the valid nomenclature. Scientific names are presented with taxonomic rank unless they are genus or genus and species. The reader is referred to the subject index for taxons cited in the text only under their common name, as well as for additional citations under the common name.

Scientific Name	Common English Name	Common Spanish Name	Page Citations
<i>Acrocomia aculeata</i> (Jacq.) Lodd. ex Mart.	Coyol Palm	Coyol	421
<i>Actitis macularius</i> (Linnaeus, 1766)	Sandpiper	Playero alzacolita	<i>See subject index</i>
<i>Aetobatis narinari</i> <Invalid synonym, see <i>Aetobatus narinari</i> >			208
<i>Aetobatus narinari</i> (Euphrasen, 1790)	Spotted Eagle Ray, Bonnetray	Raya águila	208
<i>Agkistrodon piscivorus</i> (Lacépède, 1789)	Cottonmouth/ Water Moccasin	Chione	428, 432
<i>Agouti paca</i> <Invalid synonym, see <i>Cuniculus paca</i> >			202, 297, 324, 361, 364, 374, 427
<i>Alouatta pigra</i> Lawrence, 1933	Black Howler Monkey	Saraguato yucateco	298, 324
<i>Alouatta</i> sp Lacépède, 1799	Howler Monkey	Saraguatos	<i>See subject index</i>
<i>Amaranthus</i> sp L.	Amaranth	Amaranto	<i>See subject index</i>
<i>Amaurolimnas concolor</i> (Gosse, 1847)	Uniform crake	Cotara café	487, 496

Scientific Name	Common English Name	Common Spanish Name	Page Citations
<i>Amazona autumnalis</i> (Linnaeus, 1758)	Red Lored Amazon/Parrot	Loro cachete amarillo	489, 498
<i>Amazona ochrocephala</i> (Gmelin, 1788)	Yellow-Crowned Amazon/Parrot	Loro real amazónico	489, 498
<i>Amazona</i> sp Lesson, 1830	Amazon Parrot	Loros amazónicos	86, 205, 489, 498, 503–504, 508, 513
<i>Ameiva festiva</i> (Lichtenstein y Von Martens, 1856)	Central American Whiptail	Ameiva de Centroamérica	428
<i>Americardia media</i> (Linnaeus, 1758)	Atlantic Strawberry Cockle	Berberecho fresa	299
Amphibia, Class	Amphibians	Amfibios	109, 429
<i>Amphilophus citrinellus</i> (Günther, 1864)	Midas Cichlid	Mojarra	440
<i>Anadara grandis</i> (Broderip y Sowerby, 1829)	Ark	Arca casco de burro	24
<i>Anadara tuberculosa</i> (G. B. Sowerby I, 1833)	Black Ark, Pustulose Ark	Arca negra, Concha prieta	450–451, 455–456, 460, 463, 475
<i>Ananas comosus</i> (L.) Merr.	Pineapple	Piña	See subject index
<i>Anas acuta</i> Linnaeus, 1758	Pintail	Pato golondrino	506
<i>Anas bahamensis</i> Linnaeus, 1758	White-Cheeked Pintail	Pato gargantilla	484, 494, 509
<i>Anas carolinensis</i> <invalid synonym, see <i>Anas crecca carolinensis</i> >			108
<i>Anas clypeata</i> Linnaeus, 1758	Northern Shoveler	Pato cuchara	108
<i>Anas crecca carolinensis</i> Gmelin, 1789	Green-Winged Teal	Cerceta de alas verdes	108
<i>Anas discors</i> Linnaeus, 1758	Blue Winged Teal	Cerceta ala azul	506
<i>Anas platyrhynchos</i> Linnaeus, 1758	Mallard	Pato de collar	506
<i>Anas</i> sp Linnaeus, 1758	Dabbling Ducks and Geese	Patos y gansos	27, 107, 401, 484, 494, 504
<i>Anas strepera</i> Linnaeus, 1758	Common Gadwall	Pato friso	392

<i>Anolis</i> sp Daudin, 1802	Anole	Anoli	428, 440
<i>Anomalocardia auberiana</i> (d'Orbigny, 1842)	Pointed Venus	Almeja venus	299
<i>Anomalocardia cuneimeris</i> <Invalid synonym, see <i>Anomalocardia auberiana</i> >			299
Anura, Order	Toads, Frogs	Sapos y ranas	429
<i>Ara macao</i> (Linnaeus, 1758)	Scarlet Macaw	Guacamaya roja	489, 497, 512, 518
<i>Ara</i> sp Lacepede, 1799	Macaw	Guacamayos	86, 489, 497, 512, 525
<i>Aramides cajanea</i> (Statius Muller, 1776)	Gray-Necked Wood Rail	Rascón cuello gris	487, 496, 511, 517, 520
<i>Aramus guarauna</i> (Linnaeus, 1766)	Limpkin	Guareao	365
<i>Aratinga finschi</i> (Salvin, 1871)	Finsch's Conure/Parakeet	Perico frente carmesí	489, 498, 512
<i>Aratinga holochlora</i> (P. L. Sclater, 1859)	Green Conure/Parakeet	Perico mexicano	405
<i>Aratinga pertinax</i> (Linnaeus, 1758)	Brown-Throated Conure/Parakeet	Periquito cara sucia	489, 498, 512
<i>Ardea alba</i> Linnaeus, 1758	Great Egret	Garza blanca	485, 495, 510
<i>Ardea herodias</i> Linnaeus, 1758	Great Blue Heron	Garzón cenizo	200, 204, 503, 495, 510, 549
<i>Ardea</i> sp Linnaeus, 1758	Heron	Garzas	485, 495, 510
Ardeidae, Family	Herons, Bitterns	Garzas	27, 91, 179, 485
<i>Arenaria interpres</i> (Linnaeus, 1758)	Ruddy Turnstone	Vuelve piedras	487, 496
<i>Argopecten ventricosus</i> (G. B. Sowerby II, 1842)	Pacific Calico Scallop	Almeja catarina	451
Ariidae, Family	Sea/Marine Catfish	Bagre marino	27, 109, 121
<i>Ariopsis felis</i> (Linnaeus, 1766)	Hardhead Catfish	Bagre boca chica	200, 208
Arthropoda, Phylum	Invertebrate	Invertebrados	xix, 57, 59, 78, 359, 366, 388, 444, 451
<i>Artibeus jamaicensis</i> Leach, 1821	Jamaican Fruit-Eating Bat	Murciélagos frutero de Jamaica	587

Scientific Name	Common English Name	Common Spanish Name	Page Citations
<i>Artibeus lituratus</i> (Olfers, 1818)	Great Fruit-Eating Bat	Gran murciélagos frutero	587
<i>Artibeus phaeotis</i> (Miller, 1902)	Pygmy Fruit-Eating Bat	Murciélagos frutero pigmeo	587
<i>Artibeus</i> sp Leach, 1821	Fruit-Eating Bat	Murciélagos frutífagos	216
Artiodactyla, Order	Even-Toed Ungulates, Artiodactyls	Artiodáctilos	106, 121, 361, 393, 426
<i>Ateles geoffroyi</i> Kuhl, 1820	Central American Spider Monkey	Mono araña	172, 298, 324, 435
<i>Atractosteus tropicus</i> Gill, 1863	Tropical Gar	Pejelagarto	425, 427
<i>Atractosteus spatula</i> (Lacepède, 1803)	Alligator Gar	Pejelagarto	109
Aves, Phylum	Bird	Aves	107, 247, 361, 374, 392, 429
<i>Aythya affinis</i> (Eyton, 1838)	Lesser Scaup	Pato Boludo-Menor	108, 484, 494
<i>Aythya collaris</i> (Donovan, 1809)	Ring-Necked Duck	Pato Pico Anillado	89, 484, 494, 509
Balistidae, Family	Triggerfish	Cochitos	209
<i>Barbatia</i> sp Gray, 1847	Ark Clams	Almejas arca	299
<i>Barbatia tenera</i> (C. B. Adams, 1845)	Delicate/Doc Bales Ark	Arca delicada	299
<i>Bartramia</i> sp Lesson, 1831	Sandpiper	Aves playeras	204
<i>Bassaricyon gabbii</i> J. A. Allen, 1876	Bushy-Tailed Olingo	Perro de monte	426
<i>Bassariscus astutus</i> (Lichtenstein, 1830)	Ring-Tailed Cat/ Ringtail	Cacomixtle/ Cacomistle norteño	247, 426
Belonidae, Family	Needlefish	Agujones	209
Bivalvia, Class	Bivalves, Clams	Ostras	299
<i>Boa constrictor constrictor</i> Linnaeus, 1758	Boa Constrictor	Boa/ratonera	109, 207, 213, 215
<i>Bos indicus</i> <Invalid synonym, see <i>Bos taurus</i> >			203

<i>Bos taurus</i> Linnaeus, 1758	Domestic Cow	vaca zebú	106, 298, 361, 362, 363, 374, 393, 404
<i>Brachyura</i> sp Latreille, 1802	Short-Tailed/True crabs	Cangrejos de mar	430
<i>Brotogeris jugularis</i> (Statius Muller, 1776)	Orange-Chinned Parakeet	Perico ala amarilla	489, 498, 512
<i>Bubo virginianus</i> (Gmelin, 1788)	Great Horned Owl	Búho cornudo	179
<i>Bufo marinus</i> <invalid synonym, see <i>Rhinella marina</i> >			109, 117, 206, 429, 432
<i>Bufo</i> sp Laurenti, 1768	Toad	Sapos	109
<i>Buteo magnirostris</i> J. F. Gmelin, 1788	Roadside Hawk	Gavilán de caminos	486, 495, 511, 521
<i>Buteo</i> sp Lacepede, 1799	Hawks and Buzzards	Halcones	108, 116, 486, 495, 505, 510, 521
<i>Buteogallus anthracinus</i> (Deppe, 1830)	Common Black Hawk	Aguililla negra menor	108, 116, 486, 495, 510
<i>Buteogallus</i> sp Lesson, 1830	Black Hawks	Halcón negro	486, 495, 510, 520, 521
<i>Butorides</i> sp Blyth, 1852	Green/Striped Heron	Garza verde	485
<i>Cairina moschata</i> (Linnaeus, 1758)	Muscovy Duck	Pato real	108, 484, 494, 509
<i>Calamus</i> sp Swainson, 1839	Porgy	Pámpano	209
<i>Calidris canutus</i> (Linnaeus, 1758)	Red Knot	Playero canuto	488, 497
<i>Calidris mauri</i> (Cabanis, 1857)	Western Sandpiper	Playero	488, 497, 503
<i>Calidris melanotos</i> (Vieillot, 1819)	Pectoral Sandpiper	Playero pectoral	488, 497, 511
<i>Calidris pusilla</i> (Linnaeus, 1766)	Semipalmated Sandpiper,	Playero semipalmeado	488, 497, 503
<i>Calidris</i> sp Merrem, 1804	Stints	Correlimos	487, 496
<i>Campephilus guatemalensis</i> (Hartlaub, 1844)	Pale-Billed Woodpecker	Carpintero pico de plata	491, 499, 513

Scientific Name	Common English Name	Common Spanish Name	Page Citations
<i>Campetherus melanoleucus</i> (Gmelin, 1788)	Crimson-Crested Woodpecker	Picamaderos barbinegro	519
<i>Canis familiaris</i> <invalid synonym, see <i>Canis lupus familiaris</i> >			23, 24, 27, 28, 134, 136, 166, 176, 178, 330, 435, 557, 559, 560, 581
<i>Canis latrans</i> Say, 1823	Coyote	Coyotes	176, 569
<i>Canis lupus familiaris</i> Linnaeus, 1758	Domestic Dog	Perros	106, 116, 119, 121, 201, 202, 215, 361, 363, 374, 392, 569
<i>Canis</i> sp Linnaeus, 1758	Dogs, Foxes, Coyotes	Perros, zorros y chacales	296, 297, 303, 305
<i>Capra hircus</i> Linnaeus, 1758	Domestic Goat	Cabra doméstica	287
<i>Caprimulgus cayennensis</i> Gmelin, 1789	White-Tailed Nightjar	Chotacabras coliblanco	490, 499
<i>Caracara cheriway</i> (Jacquin, 1784)	Crested Caracara	Caracara quebrantahuesos	486, 496, 511
<i>Caranx caballus</i> Günther, 1868	Green/Horse Jack	Bonito/jurel	502
<i>Caranx caninus</i> Günther, 1867	Pacific Crevalle Jack	Sargento	425
<i>Caranx hippos</i> (Linnaeus, 1766)	Crevalle Jack	Jurel/jurel Aleta Amarilla	58, 62, 69, 110, 121, 424, 425, 427
<i>Caranx ruber</i> <invalid synonym, see <i>Carangoides ruber</i> >			549, 550
<i>Caranx</i> sp Lacepède, 1801	Jacks	Jurel	547, 550
<i>Carcharhinus leucas</i> (Müller and Henle, 1839)	Bull Shark	Tiburón toro	70
<i>Carcharhinus</i> sp Blainville, 1816	Gray/Requiem Sharks	Tiburon gris	70, 201, 208
<i>Cardinalis cardinalis</i> (Linnaeus, 1758)	Northern Cardinal	Cardenal	213, 214
<i>Cardisoma guanhumi</i> (Latreille, 1828)	Blue Land Crab	Juey común	59, 66, 67, 70, 74

<i>Caretta caretta</i> (Linnaeus, 1758)	Loggerhead	Tortuga caguama	201, 207
<i>Carica papaya</i> L.	Papaya	Papaya	<i>See subject index</i>
Carnivora, Order	Carnivores	Carnívoros	106, 119, 121, 176, 178, 392, 393, 426
<i>Carollia perspicillata</i> (Linnaeus, 1758)	Seba's Short-Tailed Bat	Murciélagos candelero	587
<i>Carollia sowelli</i> (Baker, Solary and Hoffmann, 2002)	Sowell's Short-Tailed Bat	Carolia de sowell	587
<i>Casmerodius albus</i> <Invalid synonym, see <i>Ardea alba</i> >			485, 495, 510
<i>Cathartes aura</i> (Linnaeus, 1758)	Turkey Vulture	Aura cabecirroja	214
<i>Catoptrophorus semipalmatus</i> (J. F. Gmelin, 1789)	Willet	Playero aliblanco	487
Catostomidae, Family	Suckers	Matalones	110
Cebidae, Family	Monkey	Mono	435
<i>Cebus capucinus</i> (Linnaeus, 1758)	White-Faced Capuchin	Mono capuchino	500
<i>Cedrela</i> sp P. Br.	Cedar	Cedro	421
<i>Centropomus</i> sp Lacepède, 1802	Snook	Robalos	27, 49, 58, 63, 68, 75, 110, 120, 121, 200, 209, 392
<i>Centurio senex</i> Gray, 1842	Wrinkle-Faced Bat	Frutero carifiejo	587
<i>Cerithidea</i> sp Swainson, 1840	Horn Shell	Concha cuerno	472
Cervidae, Family	Deer/Cervids	Cervidos	106, 116, 118, 119, 121, 200, 203, 215, 279, 302, 305, 361, 370, 374, 393, 500
<i>Ceryle</i> sp Kaup, 1848	Kingfisher	Martín pescador	89
Charadriidae, Family	Avocets, Oystercatchers, Plover, Stilts	Chorlitos	487

Scientific Name	Common English Name	Common Spanish Name	Page Citations
<i>Charadrius vociferus</i> Linnaeus, 1758	Killdeer	Chorlo tildío	487, 496, 511
Charcharhinidae, Family	Shark	Tiburon	See subject index
<i>Chelonia mydas</i> (Linnaeus, 1758)	Green Sea Turtle	Tortuga verde	207
Cheloniidae, Family	Sea Turtles	Tortugas marinas	200, 206
<i>Chelydra serpentina</i> (Linnaeus, 1758)	Snapping Turtle	Tortuga lagarto común	108
<i>Chione cancellata</i> (Linnaeus, 1767)	Cross-Barred Venus	Venus cuadrilla	299
<i>Chiropoda villosa</i> Peters, 1860	Hairy Big-Eyed Bat	Murciélagos peludo de ojos grandes	587
Chiroptera, Order	Bat	Murciélagos	583, 589
<i>Chlidonias niger</i> (Linnaeus, 1758)	Black Tern	Charrán negro/fumarel común	488, 497, 512
Chondrichthyes, Class	Cartilaginous Fish	Peces cartilaginosos	110, 123
<i>Chordeiles minor</i> (J. R. Forster, 1771)	Common Nighthawk	Chotacabras americano	490, 498, 513
<i>Chrotopterus auritus</i> (Peters, 1856)	Big-Eared Woolly Bat	Murciélagos dorado	587
<i>Chrysemys scripta</i> <Invalid synonym, see <i>Trachemys scripta</i> >			109
<i>Chrysemys picta</i> (Schneider, 1783)	Painted Turtle	Tortuga pintada	429, 432
<i>Ciccaba virgata</i> (Cassin, 1849)	Mottled Owl	Búho café	490, 498
<i>Cichlasoma citrinellum</i> <Invalid synonym, see <i>Amphilophus citrinellus</i> >			440
<i>Cichlasoma</i> sp Swainson, 1839	Cichlid, Freshwater Cichlid	Mojarras	110, 392, 401, 424, 427
<i>Cichlasoma tuba</i> <invalid synonym, see <i>Tomocichla tuba</i> >			440
Ciconiiformes, Family	Birds of Prey	Aves de rapiña	See subject index
<i>Citrus</i> sp L.	Citrus	Cítricos	285, 287
<i>Claudius angustatus</i> Cope, 1865	Narrow-Bridged Musk Turtle	Tortuga almizclera chopontil	108, 298
<i>Clemmys</i> sp Ritgen, 1828	Pond Turtle	Tortuga de pantano	429

Clupeidae, Family	Herring	Mochuelos	27, 58, 63
<i>Coccyzus minor</i> (Gmelin, 1788)	Mangrove Cuckoo	Cucillo manglero	490, 498
<i>Colaptes auratus</i> (Linnaeus, 1758)	Northern Flicker	Carpintero dorado	136
<i>Colinus cristatus</i> (Linnaeus, 1766)	Crested Bobwhite	Perdiz común	484, 494, 509
<i>Colinus leucopogon</i> (Lesson, 1842)	Spot-Bellied Bobwhite	Codorniz	405
<i>Colinus virginianus</i> (Linnaeus, 1758)	Northern Bob-White/Virginia Quail	Codorniz cotuí	87, 108, 429
<i>Columba</i> sp Linnaeus, 1758	Pigeon	Paloma bravía	205
<i>Columbina minuta</i> (Linnaeus, 1766)	Plain-Breasted Ground Dove	Tórtola pecho liso	488, 497
<i>Columbina</i> sp Spix, 182	Ground-dove	Tórtolas	488, 497, 507, 512
<i>Columbina talpacoti</i> (Temminck, 1810)	Ruddy Ground Dove	Tórtola rojiza	488, 497, 512
Combretaceae, Family	Mangrove	Mangle	See subject index
<i>Conus patricius</i> Hinds, 1843	Pear-Shaped Cone	Caracol cono	475
<i>Conus</i> sp Linnaeus, 1758	Shaped Cone	Cono	299, 432, 613
<i>Coragyps atratus</i> (Bechstein, 1793)	American Black Vulture	Zopilote negro	226, 429, 486, 495, 510
<i>Crassostrea corteziensis</i> (Hertlein, 1951)	Cortez Oyster	Ostión de placer	451, 472, 473
<i>Crax rubra</i> Linnaeus, 1758	Great Curassow	Hocofaisán	205, 297, 484, 509
<i>Crocodylus acutus</i> Cuvier, 1807	American Crocodile	Cocodrilo americano	61, 428, 432, 548
<i>Crocodylus moreletti</i> Duméril and Bibron, 1851	Morlet's Crocodile	Cocodrilo de pantano	61, 65, 68, 70, 74, 207, 297, 377
<i>Crocodylus</i> sp Laurenti, 1768	Crocodile	Cocodrilos	27, 53, 59, 60, 247, 360, 550
<i>Crotalaria</i> sp L.	Rattlebox	Chipilín de caballo, Chipilín de zope	421

Scientific Name	Common English Name	Common Spanish Name	Page Citations
<i>Crotalus durissus</i> Linnaeus, 1758	Cascabel/Tropical Rattlesnake	Serpiente de cascabel	213, 215
<i>Crotalus</i> sp (Linnaeus, 1758)	Rattlesnake	Serpientes de cascabel	207
<i>Crotophaga ani</i> Linnaeus, 1758	Smooth-Billed Ani	Garrapatero pico liso	490, 498
<i>Crotophaga</i> sp Linnaeus, 1758	Ani	Anis	490
<i>Crotophaga sulcirostris</i> Swainson, 1827	Black Witch, Groove-Billed Ani, San Lucas Ani, Tick Bird	Garrapatero pijuy	490
Crustacea, Subphylum	Crustacean	Crustacios	430
<i>Crypturellus kerriae</i> (Chapman, 1915)	Choco Tinamou	Tinamú	549
<i>Ctenosaura similis</i> (Gray, 1831)	Black Spiny-Tailed Iguana	Iguana espinosa rayada	207, 213 215, 220, 503
<i>Cuculus canorus</i> Linnaeus, 1758	Common Cuckoo	Cuco	207
<i>Cucurbita pepo</i> (L.)	Field pumpkin	Calabacín	158
<i>Cucurbita</i> sp L.	squashes, gourds, pumpkins	Ayotes y calabazas	493, 504
<i>Cuniculus paca</i> (Linnaeus, 1766)	Lowland Spotted Paca	Tepezcuintle/ tsereque	547, 548, 550, 551
<i>Cyanocorax</i> sp Boie, 1826	Jay	Urraca	226
<i>Cyanocorax yucatanicus</i> (Dubois, 1875)	Yucatan Jay	Chara yucateca	205, 213, 214
<i>Cynoscion</i> sp Gill, 1861	Sea Trout	Corvina	27
<i>Cyrtonyx ocellatus</i> (Gould, 1837)	Ocellated Quail	Codorniz ocelada	405
Dasyatidae, Family	Stingray	Raya redonda	123, 139, 171, 180, 243–245, 405, 409
<i>Dasyatis americana</i> Hildebrand and Schroeder, 1928	Southern Stingray	Raya americana	208

<i>Dasyprocta punctata</i> Gray, 1842	Central American Agouti	Aguti/ñequé	107, 324, 330, 427, 548
<i>Dasypus novemcinctus</i> Linnaeus, 1758	Nine-Banded Armadillo	Armadillo de nueve bandas	27, 106, 136, 176, 178, 202, 215, 216, 247, 298, 361, 362, 364, 374, 427, 431, 545, 548, 550, 551. <i>See also</i> subject index.
Decapoda, Order	crayfish, crabs, lobsters, prawns and shrimp	Camarón	crab: 49, 56, 85, 76, 432, 438, 472, 614; shrimp: 52, 613
Delphinidae, Family	Marine Dolphins	Delfines marinos	203
<i>Delphinus delphis</i> Linnaeus, 1758	Short-Beaked Common Dolphin	Delfín común	502
<i>Dendrocygna autumnalis</i> (Linnaeus, 1758)	Black-Bellied Tree- Duck; Southern Red-Billed Whistling Duck	Pijije ala blanca	484, 494, 509
<i>Dendrocygna bicolor</i> (Vieillot, 1816)	Fulvous Whistling Duck	Pijije canelo	506
<i>Dendrocygna</i> sp (Swainson, 1837)	Whistling-Duck	Guacamayo verdirojo/pato silvador	484, 494, 509, 520
<i>Dendrocygna viduata</i> (Linnaeus, 1766)	White-Faced Whistling Duck	Pato silbador cara blanca	484, 494, 509
Dermatemydidae, Family	River Turtles	Tortugas de ríos	296
<i>Dermatemys mawii</i> Gray, 1847	Central American river turtle	Tortuga riverina Centroamericana	108, 171, 179, 206, 297, 298, 330, 360, 366
<i>Desmodus rotundus</i> (E. Geoffroy, 1810)	Common Vampire Bat	Vampiro de azara	587
<i>Didelphis marsupialis</i> Linnaeus, 1758	Common/Southern Opossum	Tlacuache/zorro/ zarigüeya	136, 176, 178, 426, 431, 500
<i>Didelphis</i> sp Linnaeus, 1758	Opossum	Tlacuache	106, 202, 213, 215, 216
<i>Didelphis virginiana</i> Kerr, 1792	Virginia Opossum	Tlacuache/zorro/ zarigüeya	27, 247

Scientific Name	Common English Name	Common Spanish Name	Page Citations
<i>Dinocardium robustum</i> (Lightfoot, 1786)	Atlantic Giant Cockle	Berbechos gigantes del Atlántico	299
<i>Diphylla ecaudata</i> Spix, 1823	Hairy-Legged Vampire Bat	Vampiro pata peluda	587
<i>Dipodomys ordii</i> Woodhouse, 1853	Ord's Kangaroo Rat	Rata canguro común	215
<i>Donax</i> sp Linnaeus, 1758	Bean Clams	Almejas de frijol	455
<i>Dosinia dunkeri</i> (Philippi, 1844)	Dunker's Dosinia	Almeja de costillas finas	451, 463
<i>Drymobius</i> sp Fitzinger, 1843	Racer Snake	Serpiente corredora	428
<i>Dryocopus lineatus</i> (Linnaeus, 1766)	Lineated Woodpecker	Carpintero lineado	176
<i>Egretta caerulea</i> (Linnaeus, 1758)	Little Blue Heron	Garceta azul	429, 431
<i>Egretta</i> sp (Forster, 1817)	Egret	Garcitas	176, 200, 204, 485, 495, 503, 510
<i>Elaeis oleifera</i> (Kunth) Cortes	American Oil Palm	Coquito	504
<i>Elops affinis</i> Regan, 1909	Pacific Ladyfish	Machete del Pacífico	27
<i>Elops saurus</i> (Linnaeus, 1766)	Ladyfish	Machete del Atlántico	549, 550, 551
Emydidae	Water and Box Turtles	Tortugas dulceacuícolas	109, 119, 120, 121, 206, 247, 296, 297, 360, 407
<i>Epinephelus morio</i> (Valenciennes in Cuvier y Valenciennes, 1828)	Red Grouper	Cherna	360
<i>Epinephelus niger</i> (Holbrook, 1855)	Warsaw Grouper	Mero negro	58, 62, 69
<i>Epinephelus</i> sp Bloch, 1793	Groupers	Meros y lubinas	200, 209, 360, 366
<i>Eptesicus furinalis</i> (d'Orbigny, 1847)	Argentine Brown Bat	Murciélagos café argentino	587

<i>Eptesicus fuscus</i> (Beauvois, 1796)	Big Brown Bat	Murciélagos moreno norteamericano	587
<i>Equus caballus</i> (Linnaeus, 1758)	Horse	Caballo	215
<i>Equus</i> sp Linnaeus, 1758	Horse, Mule	Caballo, mula	203, 361, 363, 374
<i>Erethizon</i> sp F. Cuvier, 1823	Porcupine	Puercoespines	247, 250
<i>Eretmochelys imbricata</i> (Linnaeus, 1766)	Hawksbill Turtle	Tortuga carey	201, 207
<i>Eudocimus albus</i> (Linnaeus, 1758)	American White Ibis	Ibis blanco	27, 480, 486, 495, 510
<i>Eudocimus ruber</i> (Linnaeus, 1758)	Scarlet Ibis	Corocoro rojo/ibis escarlata	480
<i>Euglandina cylindracea</i> (Phillips, 1846)	Wolf Snail	Caracol terrestre carnívoro	430
<i>Eumops nanus</i> <Invalid synonym, see <i>Eumops bonariensis</i> >			587
<i>Eumops underwoodi</i> Goodwin, 1940	Underwood's Bonneted/Mastiff Bat	Murciélagos bonete de underwood	587
<i>Euthynnis lineatus</i> Kishinouye, 1920	Black Skipjack	Atún/bonito	502
<i>Falco deiroleucus</i> Temminck, 1825	Orange-Breasted Falcon	Halcón pecho rufo	486, 496, 511
<i>Falco femoralis</i> Temminck, 1822	Aplomado Falcon	Halcón fajado	487, 496, 511
<i>Falco</i> sp Linnaeus, 1758	Falcon	Halcones	486, 496, 511
<i>Falco sparverius</i> Linnaeus, 1758	kestrel	Gavilán chitero	172
Felidae, Family	Felines/Wild cats	Felino	211, 215, 247, 435
<i>Felis concolor</i> <Invalid synonym, see <i>Puma concolor</i> >			203, 405
<i>Fregata magnificens</i> (Mathews, 1914)	magnificent frigatebird	Fragata magnífica	485, 495, 510
<i>Fulica americana</i> Gmelin, 1789	American coot	Gallareta americana	204, 487, 496, 511
<i>Galeocerdo cuvier</i> (Péron and Lesueur in Lesueur, 1822)	Tiger Shark	Tiburón tigre/ tintorera	208

Scientific Name	Common English Name	Common Spanish Name	Page Citations
<i>Galeocerdo cuvieri</i> <Invalid synonym, see <i>Galeocerdo cuvier</i> >			208
<i>Galictus</i> sp (Bell, 1826)	Grison	Grisón	247
Galliformes, Family	Fowls, Turkey, Quail, Currasow	Aves de corral	88, 204, 220, 296, 298, 304, 305, 313, 392, 429
<i>Gallinula chloropus</i> (Linnaeus, 1758)	Common Moorhen	Gallineta frente roja	204
<i>Gallus gallus</i> (Linnaeus, 1758)	Domestic Chicken	Gallo/gallina	204, 484, 494, 509, 516
Gastropoda, Order	Snails	Caracoles	299, 430
<i>Gecarcinus lateralis</i> (Fremenville, 1835)	Blackback landcrab	Cangrejo rojo terrestre	59, 66–67, 70, 74
<i>Geomys</i> sp Rafinesque, 1817	Gophers	Tuzas	242
<i>Geotrygon montana</i> (Linnaeus, 1758)	Ruddy Quail Dove	Paloma/perdiz rojiza	489, 497, 512
<i>Geotrygon</i> sp Gosse, 1847	Dove	Paloma común	480, 497, 503, 506, 512
<i>Ginglymostoma cirratum</i> (Bonnaterre, 1788)	Nurse Shark	Tiburón gata/ tiburón nodriza	208
<i>Glaucidium brasiliandum</i> (Gmelin, 1788)	Ferruginous Owl, Ferruginous Pygmy Owl, Ferruginous Pygmy-Owl	Tecolote bajeño	522
<i>Glaucidium</i> sp Boie, 1826	Pygmy Owl	Búhos mochuelos/ búhos pigmeos	490, 498, 513, 522
<i>Glossophaga soricina</i> (Pallas, 1766)	Pallas's Long- Tongued Bat	Murciélagos lengua larga de pallas	587
<i>Glossophaga</i> sp (E. Geoffroy, 1818)	Long-Tongued Bat	Murciélagos lengua larga de pallas	214, 216
<i>Grandiarca grandis</i> <Invalid synonym, see <i>Anadara grandis</i> >			450, 451, 455, 456, 461, 463, 472, 473, 475
<i>Gymnotus</i> sp Linnaeus, 1758	Knife-Fishes	Pescados cuchillo	431
<i>Haemulon</i> sp Cuvier, 1829	Grunt	Grunido	See subject index

<i>Harpia harpyja</i> (Linnaeus, 1758)	Harpy Eagle	Águila arpía	117, 521
<i>Heterospizias</i> sp <Invalid synonym, see <i>Buteogallus</i> sp>			486, 495, 510, 520, 521
<i>Homo sapiens</i> Linnaeus, 1758	Humans	Humano, hombre/ mujer	107, 392
Hymenoptera, Order	Bee	Abeja	7, 288–289, 618
<i>Icterus galbula</i> (Linnaeus, 1758)	Baltimore/ Northern Oriole	Bolsero de Baltimore/ictérido anaranjado	491, 499, 514
<i>Icterus</i> sp Brisson, 1760	Oriole	Turpial	491, 499, 513
<i>Iguana iguana</i> (Linnaeus, 1758)	Common Green Iguana	Iguana verde, iguana de mar	109, 247, 428, 432, 503, 545, 548, 550, 551
Iguanidae, Family	Iguanas	Iguanas/lagartos	27
<i>Iphigenia altior</i> (G. B. Sowerby I, 1833)	False Donax	Almeja, coquina alta	472
<i>Ipomoea batatas</i> (L.) Lam.	Margarita/ Ornamental Sweet Potato Vine	Algarrobo/camote/ copal	421
<i>Jacana</i> sp Brisson, 1760	Jacana	Jacana	487, 496, 511, 518, 624
Kinosternidae, Family	Mud and Musk Turtles	tortugas casquitos, dulceacuáticas	27, 109, 119, 121, 296, 392
<i>Kinosternon integrum</i> LeConte, 1854	Mexican Mud Turtle	Tortuga pecho quebrado mexicana	136, 179
<i>Kinosternon leucostomum</i> Duméril and Bibron, 1851	White-Lipped Mud Turtle	Casquito	109
<i>Kinosternon scorpioides</i> (Linnaeus, 1766)	Scorpion Mud Turtle	Tortuga pecho quebrado escorpión	297, 298
<i>Lampropeltis</i> sp (Fitzinger, 1843)	King Snake	Culebra real	428
Laridae, Family	Gulls	Gaviotas	488
<i>Larus atricilla</i> <Invalid synonym, see <i>Leucophaeus atricilla</i> >			488, 497, 511
<i>Lasiurus ega</i> (Gervais, 1856)	Southern Yellow Bat	Murciélagos cola peluda amarillo	587
<i>Lasiurus intermedius</i> H. Allen, 1862	Northern Yellow Bat	Murciélagos cola peluda norteño	587

Scientific Name	Common English Name	Common Spanish Name	Page Citations
<i>Leopardus pardalis</i> (Linnaeus, 1758)	Ocelot	Ocelote	106, 203, 216, 324
Lepisosteidae, Family	Gars	Pejelagarto	392
Leporidae, Family	Hares and Rabbits	Liebres y conejos	178, 393
<i>Leptonycteris</i> sp Lydekker, 1891	Mexican Long-Nosed Bats	Murciélagos mexicano de nariz larga	587
<i>Leptotila batteni</i> (Rothschild, 1901)	Azuero/Brown-Backed Dove	Paloma azuero	519
<i>Leptotila cassini</i> (Lawrence, 1867)	Gray-chested Dove	Paloma pecho gris	519
<i>Leptotila plumbeiceps</i> (P. L. Sclater and Salvin, 1868)	Gray-Headed Dove	Paloma cabeza gris	519
<i>Leptotila verreauxi</i> (Bonaparte, 1855)	White Tipped Dove	Paloma/paloma arroyera	501, 508, 519
<i>Lepus</i> sp Linnaeus, 1758	Hares, Jackrabbits	liebres y conejos	136, 176, 178, 183, 242
<i>Leucophaeus atricilla</i> Linnaeus, 1758	Laughing Gull	Gaviota reidora americana	488, 497, 511
<i>Limnodromus</i> sp Wied-Neuwied, 1833	Dowitcher	Agujetas	488, 497, 511
<i>Lucina pectinata</i> (Gmelin, 1791)	Thick Lucine	Lucine gruesa	367
<i>Lutjanus campechanus</i> Poey, 1860	Northern Red Snapper	Huachinango del Golfo/pargo	138
<i>Lutjanus peru</i> (Nichols and Murphy, 1922)	Pacific Red Snapper	Huachinango del Pacífico/pargo rojo del Pacífico	138
<i>Lutjanus</i> sp (Bloch, 1790)	Snappers	Huachinangos	27, 49, 58, 61, 63, 68, 75, 110, 138, 200, 209, 360, 392, 401
<i>Lynx rufus</i> (Schreber, 1777)	Lynx/Bobcat	Lince americano	176, 178, 435, 587
<i>Macrotus waterhousii</i> Gray, 1843	Waterhouse's Leaf-Nosed Bat	Murciélagos orejón mexicano	587
<i>Malaclemys terrapin</i> (Schoepff, 1793)	Diamondback Terrapin	Tortuga espalda de diamante	206

<i>Malea ringens</i> (Swainson, 1822)	Pacific Cask Shell	Caracol bola	472
Malix <breed name, see <i>Canis lupus familiaris</i> >	Short-Nosed Indian Dog/Maya Short- faced Dog	Perro nariz corta de las Indias	576
Mammalia	Mammals	Mamíferos	106, 359, 361, 374, 392–393, 405, 426, 583
<i>Manihot esculenta</i> Crantz	Cassava/Manioc/ Yuca	Yuca/yuca amarga/ yuca brava	493, 504
<i>Marmosa mexicana</i> Merriam, 1897	Mexican Mouse Opossum	Tlacuache ratón mexicano	297
<i>Mazama americana</i> (Erxleben, 1777)	Red Brocket Deer	Cabro/a de monte/ venado de monte	106, 116, 296, 297, 426, 545, 548, 550, 551
<i>Mazama gouazoubira</i> G. Fischer, 1814	Gray Brocket Deer	Corzuela parda venado corzo	500
<i>Mazama pandora</i> (Merriam, 1901)	Yucatan brown brocket deer	Temazate yucateco	240
<i>Megacyrle</i> sp Kaup, 1848	Kingfisher	Martín pescador	89
<i>Megacyrle torquata</i> (Linnaeus, 1766)	Ringed Kingfisher	Martín pescador anillado	491, 499, 513
<i>Megalops atlanticus</i> Valenciennes in Cuvier and Valenciennes, 1847	Atlantic tarpon	Sábalo	110
<i>Megarhynchus pitangua</i> (Linnaeus, 1766)	Boat-Billed Flycatcher	Luis pico grueso	491, 499, 513
<i>Megascops choliba</i> (Vieillot, 1817)	Tropical Screech- Owl	Alicucu/currucutú común	522
<i>Megascops</i> sp (Kaup, 1848)	Screech Owl	Jumaras	490, 498, 513, 522
<i>Meleagris gallopavo</i> Linnaeus, 1758	Domestic Turkey	Guajolote norteño/ pavo	27, 81, 82, 86, 87, 92, 135, 176, 179, 187, 201, 205, 224, 241, 411
<i>Meleagris gallopavo</i> <i>mexicana</i> Gould, 1856	Gould's Turkey	Guajolote del sureste mexicano/ pavo doméstico	135, 187
<i>Meleagris ocellata</i> Cuvier, 1820	Ocellated Turkey	Guajolote ocelado/ pavo de(l) monte	135, 187, 201, 205, 211, 214, 241

Scientific Name	Common English Name	Common Spanish Name	Page Citations
<i>Meleagris</i> sp Linnaeus, 1758	Turkey	Pavo	211, 214, 220, 247, 296, 297
<i>Melongena patula</i> (Broderip, W.J. y G. B. I. Sowerby, 1829)	Pacific Melongena	Caracol burro	472
Mephitidae	Skunk	Zorrillo	See subject index
<i>Micrastur semitorquatus</i> (Vieillot, 1817)	Collared Forest Falcon	Halcón selvático de collar	486, 496, 511
<i>Micronycteris microtis</i> (Gray, 1866)	Common Big Eared Bat	Murciélagos orejón común	587
<i>Micropogonias</i> sp Bonaparte, 1831	Croaker	Corvión	179, 209
<i>Milvago chimachima</i> (Vieillot, 1816)	Yellow-Headed Caracara	Caracara cabecigualdo	486, 496, 511
<i>Mimon cozumelae</i> (Goldman, 1914)	Cozumelan Golden Bat	Murciélagos dorado de Cozumel	587
Mollusca, Phylum	Molluscs	Molusco	294–296, 360, 374, 430
<i>Molossus rufus</i> <invalid synonym, see <i>Molossus ater</i> >			587
<i>Molossus sinaloae</i> J. A. Allen, 1906	Sinaloan mastiff bat	Murciélagos mastín de Sinaloa	587
<i>Molothrus oryzivorus</i> (Gmelin, 1788)	Giant Cowbird	Tordo gigante	491, 499, 513
<i>Monachus tropicalis</i> (Gray, 1850)	Caribbean/West Indian Monk Seal	Foca monje del Caribe	200, 203
<i>Mormoops megalophylla</i> (Peters, 1864)	Ghost-Faced Bat	Murciélagos barba arrugada norteño	587
<i>Mugil</i> sp Linnaeus, 1758	Mullet	Lisas	110, 121, 547, 549, 550, 551
Muridae, Family	Mouse, Rat	Ratones	107, 220
<i>Mustela frenata</i> Lichtenstein, 1831	Long-Tailed Weasel	Comadreja cola larga	178, 426
Mustelidae	Weasels	Mustelidos	106, 202
<i>Mycteria americana</i> Linnaeus, 1758	American Wood Stork	Cigüeña americana	486, 495, 510
<i>Mycteria</i> sp Linnaeus, 1758	Storks	Cigueñas	486, 495, 510

<i>Mycteroperca bonaci</i> (Poey, 1860)	Black grouper	Cherna negrillo	58, 62, 69, 75
<i>Mycteroperca</i> sp Gill, 1862	Groupers	Chernas	427
<i>Myotis keaysii</i> J. A. Allen, 1914	Hairy-Legged Myotis	Murciélagos de patas peludas	587
<i>Myotis</i> sp Kaup, 1829	Mouse-Eared Bat	Murciélagos orejas de ratón	215, 216, 587
<i>Mytella</i> sp <Invalid synonym, see <i>Mytilus</i> sp>			451, 463, 475
<i>Mytilus</i> sp Linnaeus, 1758	Mussels	Mejillones/ostiones	451, 463, 475
<i>Nasua narica</i> (Linnaeus, 1766)	Coatimundi/White- Nosed Coati	Coatí norteño	202, 247, 426, 431
<i>Natalus stramineus</i> Gray, 1838	Mexican Funnel- Eared Bat	Murciélagos oreja embudo mexicano	587
<i>Natica</i> sp Scoplo, 1777	banded moon snail	Caracol banda de luna	See subject index
<i>Natica unifasciata</i> (Lamarck, 1822)	Single Banded Moon Snail	Caracol luna de una sola banda	450, 451, 455, 456, 461, 463, 475
Natricinae, Subfamily	Water, garter, grass snakes	Culebras de agua	428
<i>Neotoma mexicana</i> Baird, 1855	Mexican Wood Rat	Rata cambalachera/ magueyera mexicana	107
<i>Nephronaias calamitarum</i> (Morelet, 1849)	River Clam	Concha de río	299
<i>Nephronaias</i> sp (Fischer and Crosse, 1893)	River Clam	Concha de río	430, 432
<i>Numenius americanus</i> Bechstein, 1812	Long-Billed Curlew	Zarapito pico largo	487, 496, 511
<i>Numenius phaeopus</i> (Linnaeus, 1758)	Whimbrel	Zarapito trinador	487, 496, 511
<i>Nyctanassa violacea</i> (Linnaeus, 1758)	Yellow-Crowned Night Heron	Pedrete corona clara	485, 495, 510
<i>Nycticorax nycticorax</i> (Linnaeus, 1758)	Black-Crowned Night Heron	Pedrete corona negra	89, 485, 510
<i>Nyctidromus albicollis</i> (Gmelin, 1789)	Common Pauraque	Chotacabras pauraque	490, 498, 513

Scientific Name	Common English Name	Common Spanish Name	Page Citations
<i>Nyctinomops laticaudatus</i> (E. Geoffroy, 1805)	Broad-Eared Bat	Murciélagos cola suelta ancha	587
<i>Odocoileus virginianus</i> (Zimmermann, 1780)	White-Tailed Deer	Venado cola blanca	18, 23, 25, 27, 106, 116, 119, 121, 136, 176, 178, 201, 203, 215, 236, 296, 298, 315, 330, 361, 363, 364, 393, 426, 503, 558, 559
Oligochaeta, Class	Worms	Gusano	465, 474
<i>Oliva scripta</i> Lamarck, 1810	Caribbean Olive	Olivo Caribe	299
<i>Oliva caribaeensis</i> Dall and Simpson, 1901 <invalid synonym, see <i>Oliva scripta</i> >			299
<i>Oliva</i> sp Bruguiere, 1789	Olive Shells	Caracol olivo	299, 432
<i>Olivella</i> sp Swainson, 1831	Dwarf Olive		472
<i>Onychoprion fuscatus</i> (Linnaeus, 1766)	Sooty Tern	Charran sombrio	488, 517
<i>Ophisaurus</i> sp Daudin, 1803	Glass Lizard	Serpiente de cristal/lagarto	488, 497, 512
<i>Opsanus</i> sp Rafinesque, 1818	Toadfish	Pescado sapo	208
<i>Ortalispinereiceps</i> G. R. Gray, 1867	Gray Headed Chachalaca	Chachalaca	484, 494, 509
<i>Ortalispetula</i> (Wagler, 1830)	Plain Chachalaca	Chachalaca	204, 219, 220
<i>Ortalisp</i> Merrem, 1786)	Chachalacas	Chachalaca	484, 548, 550, 551
<i>Orthalicus princeps</i> (Broderip, 1833)	Tree Snail	Caracol	299, 312
<i>Orthogeomys grandis</i> (Thomas, 1893)	Giant Pocket Gopher	Tuza Mayor	136, 176, 178
<i>Orthogeomys hispidus</i> (LeConte, 1852)	Hispid's Pocket Gopher	Tuza crespa	107

<i>Oryzomys</i> sp (Baird, 1858)	Rice Rat	Rata arrocera/rata de arrozal	107, 427, 431
Osteichthyes, Superclass	Bony Fish	Peces óseos	109, 169, 298, 300, 305, 360, 374, 392
<i>Ostrea corteziensis</i> <Invalid synonym, see <i>Crassostrea corteziensis</i> >			24
<i>Pachychilus glaphyrus</i> (Morelet, 1849)	Freshwater "spiny" Jute	Tutu	360
<i>Pachychilus indiorum</i> (Morelet, 1849)	Freshwater "smooth" Jute	Tutu	360
<i>Pachychilus</i> sp (Morelet, 1849)	Freshwater Jutes	Caracoles jute	325, 357, 366, 374, 430, 432
<i>Pandion haliaetus</i> (Linnaeus, 1758)	Osprey	Aguila/gavilán pescador	486, 495, 503, 510
<i>Panthera onca</i> (Linnaeus, 1758)	Jaguar	Jaguar	176, 179, 203, 216–218, 324, 405
Passeriformes, Order	Passerines, Perching Birds, Songbirds	Paseriformes, aves de percha y pájaros cantores	84–88, 91, 93, 94, 214, 491, 492, 493, 499, 513
<i>Patagioenas</i> sp Reichenbach, 1852	New World Pigeon	Pichón	488, 497, 512, 519
<i>Pecari tajacu</i> (Linnaeus, 1758)	Collared Peccary	Pecarí de collar	106, 136, 176, 179, 201, 203, 217, 330, 361, 364, 431, 545, 548, 550, 551
<i>Pelecanus occidentalis</i> Linnaeus, 1766	Brown Pelican	Pelícano café o pardo	485, 495, 510
<i>Pelecanus</i> sp Linnaeus, 1758	Pelicans	Pelícanos	200, 204
Pelecypoda <Invalid synonym, see Bivalvia>			299
<i>Penelope purpurascens</i> Wagler, 1830	Crested Guan	Pava cojolita	297, 484
<i>Penelope</i> sp Merrem, 1786	Guans	Pava	429, 431, 548, 550
Perciformes, Order	Perch-Like Fish, Jacks and Pompanos	Peces gatos y pampanos	139, 209, 392, 427

Scientific Name	Common English Name	Common Spanish Name	Page Citations
<i>Peromyscus</i> sp Gloger, 1841	Mouse	Ratón	107
<i>Pteropteryx macrotis</i> Koch, 1862–63	Lesser Dog-Like/ Lesser Sac-Winged Bat	Murciélagos perruno Menor	587
<i>Persea americana</i> P. Mill.	Avocado	Aguacate	438
<i>Petenia splendida</i> Günther, 1862	Bay Snook	Blanco/ tenguajagua/ tenguayaca	360, 366
<i>Phalacrocorax brasiliensis</i> (J. F. Gmelin, 1789)	Neotropic Cormorant	Cormorán neotropical	297, 485, 495, 510
<i>Phalacrocorax</i> sp Brissot, 1760	Cormorants	Cormorán orejudo	See subject index
<i>Pharomachrus mocinno</i> De la Llave, 1832	Resplendent Quetzal	Quetzal guatemalteco/ quetzal mesoamericano	See subject index
<i>Phaseolus vulgaris</i> (L.)	Common Bean	Ejote, frijol	7, 222, 421, 438
<i>Phasianus</i> sp Linnaeus, 1758	Pheasants	Faisan	520
<i>Pheucticus ludovicianus</i> (Linnaeus, 1766)	Rose-Breasted Grosbeak	Picogordo pecho rosa	491, 499, 513
<i>Philander opossum</i> (Linnaeus, 1758)	Gray Four-Eyed Opossum	Tlacuache cuatrojos gris	202, 215
Pimelodidae, Family	Flat-Nosed, Long- Whiskered Catfish	Bagres bigotones	110
<i>Pinctada</i> sp Roding, 1798	Pearl Oysters	Madre perla	500
<i>Pionus menstruus</i> (Linnaeus, 1766)	Blue-Headed Amazon	Periquito cabeza azul	489, 498, 513
<i>Pitar payensis</i> (d'Orbigny, 1845)	Pitar Venus Clam	Almeja venus	450–451, 455–456, 459, 463, 475
<i>Platalea ajaja</i> Linnaeus, 1758	Roseate Spoonbill	Platea rosada	486, 510
<i>Pleuroploca gigantea</i> (Kiener, 1840)	horse conch	Caballo de la concha	299
<i>Pleuroploca granosa</i> (Broderip. 1832)	Granose Horse Conch	Caracol caballo granoso	472

<i>Polinices duplicatus</i> (Say, 1822)	Moon Snail	Caracol luna	299
<i>Polinices otis</i> Broderip & Sowerby, 1829	Moon Snail	Caracol luna	451, 455, 456, 459, 472, 475
<i>Polinices uber</i> (Valenciennes, 1832)	Moon Snail	Caracol luna	451, 456, 472, 475
<i>Polydactylus</i> sp Lacepède, 1803	Threadfins	Barbudos	27
<i>Polymesoda boliviiana</i> (Philippi, 1851)	marsh clam	Almeja de ciénaga	455, 473
<i>Pomacea flagellata</i> (Say, 1929)	apple snail	Caracol manzana (maya)	296, 299, 308, 312, 360, 366, 374
<i>Porphyrio martinica</i> (Linnaeus, 1766)	American Purple Gallinule	Calamoncillo americano	496, 511
<i>Porphyrio martinicus</i> <Invalid synonym, see <i>Porphyrio martinica</i> >			487
<i>Porzana carolina</i> (Linnaeus, 1758)	Sora	Polluela de Carolina	487, 496
<i>Potos flavus</i> (Schreber, 1774)	Kinkajou	Kinkajou	426, 431
Primate, Order	Primates	Primates	107
Procellariidae, Family	Petrels	Petreles y fardelas	484
<i>Procyon lotor</i> (Linnaeus, 1758)	Common/Northern Raccoon	Mapache	23, 25, 106, 202, 330, 426, 431, 503
<i>Promops centralis</i> Thomas, 1915	Big Crested/ Thomas's Mastiff-Bat	Murciélagos mastín mayor	587
<i>Protothaca asperrima</i> (Sowerby, 1835)	littleneck clam	Conchuela	450, 451, 455, 456, 462, 463, 475
<i>Protothaca granulata</i> (Gmelin, 1791)	Beaded Venus	Cuentas venus	299
<i>Prunum nivosum</i> (Hinds, 1844)	Marginella	Marginela	299
<i>Prunum</i> sp (Herrmannsen, 1852)	Marginellas	Marginela	472
<i>Psarocolius decumanus</i> (Pallas, 1769)	Crested Oropendola	Oropéndula crestada / Cacique crestado	506

Scientific Name	Common English Name	Common Spanish Name	Page Citations
<i>Psarocolius</i> sp Wagler, 1827	Oropendolas	Oropéndola	491, 499, 514
<i>Pseudoscops clamator</i> (Vieillot, 1808)	Striped Owl	Lechuzón orejudo	490, 498, 513
Psittacidae, Family	Parrots	Periquitos	86, 88, 92, 489, 492, 493
<i>Pteronotus davyi</i> Gray, 1838	Davy's Naked-Backed Bat	Murciélagos respaldo de Davy	587
<i>Pteronotus parnellii</i> (Gray, 1843)	Parnell's Mustached Bat	Murciélagos bigotudo de Parnell	587
<i>Puffinus griseus</i> (Gmelin, 1789)	Sooty Shearwater	Pardela gris/pardela sombría	484, 494
<i>Pulsatrix perspicillata</i> (Latham, 1790)	Spectacled Owl	Búho de anteojos	490, 498, 513
<i>Puma concolor</i> (Linnaeus, 1771)	Cougar, Mountain Lion, Puma	Puma	203, 405
<i>Puma yagouaroundi</i> (É. Geoffroy Saint-Hilaire, 1803)	Jaguarundi	Jaguarundi	215, 405
<i>Quiscalus mexicanus</i> (Gmelin, 1788)	Great-Tailed Grackle	Zanate mexicano	491, 499, 513
<i>Quiscalus quiscula</i> (Linnaeus, 1758)	Common Grackle	Grajilla púrpura/grajo de ojos blancos	See subject index
<i>Rachycentron canadum</i> (Linnaeus, 1766)	Cobia	Bacalao/bonito/pejepalo	427, 433
<i>Rachycentron</i> sp (Kaup, 1826)	Cobias	Cobia	427, 433
Rajidae, Family	Rays	Rayas	211
Rallidae, Family	Rails, Limpkins	Gallaretas, polluelas, pollas de agua o gallinetas	91, 361, 365, 487
<i>Rana</i> sp (Linnaeus, 1758)	Frogs	Ranas	109, 429, 432
<i>Rhamdia guatemalensis</i> (Günther, 1864)	Pale/Peten Catfish	Barbudo/juil descolorido	110
<i>Rhamdia</i> sp (Bleeker, 1858)	Neotropical Catfish	Bagre de río	425, 427, 431
<i>Rhinella marina</i> (Linnaeus, 1758)	Cane/Marine Toad	Sapo de caña/sapo marino	109, 117, 206, 429, 432

<i>Rhinoclemmys areolata</i> (Duméril and Bibron, 1851)	Furrowed Wood Turtle	Tortuga de monte mojina	206, 298, 360, 366
<i>Rhizoprionodon</i> <i>terraenovae</i> (Richardson, 1836)	Atlantic Sharp- Nosed Shark	Cazón de ley o de playa	208
Rodentia, Order	Rodents	Roedores	107, 220, 393, 427
<i>Saccopteryx bilineata</i> (Temminck, 1838)	Greater Sac- Winged/White- Lined Bat	Murciélagos rayado mayo	587
<i>Saltator striatipectus</i> Lafresnaye, 1847	Streaked Saltator	Saltador rayado	491
<i>Sarcoramphus papa</i> (Linnaeus, 1758)	King Vulture	Zopilote rey	521
<i>Sceloporus</i> sp Wiegmann, 1828	Spiny Lizard	Lagarto de cola espinoza	428
<i>Sciurus</i> sp Linnaeus, 1758	Squirrel	Ardillas	107, 176, 178, 427, 548
Scolopacidae, Family	Wader, Wading bird	Aves zancudas	487
Serpentes, Suborder	snakes	Serpiente	27, 109, 428
<i>Sigmodon hispidus</i> Say and Ord, 1825	Hispid Cotton Rat	Rata algodonera crespa	107, 202, 215
Siluriformes, Order	Catfishes, Silures	Bagres/silures	427
Soricidae, Family	Shrews	Musarañas	107
<i>Sphaeroides</i> sp (Anonymous [Lacepède], 1798)	Puffers	Pez globo	444, 614
<i>Sphiggurus mexicanus</i> (Kerr, 1792)	Mexican Hairy Dwarf Porcupine	Puercoespín mexicano	247
<i>Sphyraena barracuda</i> (Edwards, in Catesby 1771)	Great barracuda	Barracuda	49, 59, 62, 69
<i>Sphyrapicus varius</i> (Linnaeus, 1766)	Yellow-Bellied Sapsucker	Chupasavia maculado/pico chupador	108
<i>Sphyrna tiburo</i> (Linnaeus, 1758)	Bonnethead Shark	Cazón cabeza de pala/pez (tiburón) martillo	208
<i>Spilotes</i> sp Wagler, 1830	Rat Snake	Serpiente rata	428
<i>Spisula solidissima</i> (Linnaeus, 1758)	Surfclam	Almeja blanca	474

Scientific Name	Common English Name	Common Spanish Name	Page Citations
<i>Spondylus americanus</i> Hermann, 1781	Atlantic Thorny Oyster	Ostra espinosa atlántica	432
<i>Spondylus princeps</i> (Broderip, 1833)	Pacific Thorny Oyster	Mullú	432
<i>Spondylus</i> sp. Linnaeus, 1758	Spiny Oysters	Ostras espinosas	500
Squamata, Order	Lizard	Lagartos	<i>See subject index</i>
<i>Staurotypus triporcatus</i> (Wiegmann, 1828)	Mexican Giant Musk Turtle	Morocoy	109, 119, 121, 206, 297
<i>Stenella</i> sp Gray, 1866	Spotted/Spinner Dolphin	Delfines manchados	502
<i>Sterna forsteri</i> Nuttall, 1834	Forster's Tern	Charrán de Forster/ charrán de Forster	488, 497
Sternidae, Family	Terns	Golondrinas marinas	<i>See subject index</i>
<i>Streptopelia turtur</i> (Linnaeus, 1758)	Eurasian Turtle Dove	Tórtola común	520
Strigidae, Family	Owl	Búhos	91, 490
Strombidae, Family	True Conchs	Caracoles verdaderos	299
<i>Strombus alatus</i> Gmelin, 1791	Florida Fighting Conch	Concha de la Florida	299
<i>Strombus galeatus</i> (Swainson, 1823)	Eastern Pacific Giant Conch	Abulón	523
<i>Strombus raninus</i> Gmelin, 1791	Hawkwing Conch	Cobo ala de águila	360, 367
<i>Sturnella magna</i> (Linnaeus, 1758)	Eastern Meadowlark	Pradero tortilla con chile	525, 527
<i>Sturnella militaris</i> (Linnaeus, 1758)	Red-Breasted Blackbird	Soldadito	525, 527
<i>Sturnella</i> sp Vieillot, 1816	Meadowlarks and Blackbirds	Tordos	491, 499, 513, 525
<i>Sturnira lilium</i> (E. Geoffroy, 1810)	Little Yellow-Shouldered Bat	Murciélagos de charreteras menor	587
<i>Sula dactylatra</i> Lesson, 1831	Masked Booby	Bobo enmascarado	485, 494, 509, 523

<i>Sula granti</i> Rothschild, 1902	Nazca Booby	Bobo enmascarado	485, 494, 509, 513
<i>Sula leucogaster</i> (Boddaert, 1783)	Brown Booby	Bobo café/piquero pardo	485, 495, 509, 523
<i>Sula nebouxii</i> Milne-Edwards, 1882	Blue-Footed Booby	Bobo pata azul/ piquero patiazul	485, 495, 509, 523, 524
<i>Sula</i> sp Brissot, 1760	Booby	Alcatraces y bobos	200, 204, 485, 492, 493, 494, 509, 523
<i>Sus scrofa</i> Linnaeus, 1758	Domestic Pig/Wild Hog	Cerdo doméstico/ cochino/puerco	361, 363, 374, 393, 404
<i>Sylvilagus brasiliensis</i> (Linnaeus, 1758)	Tropical Forest Rabbit	Conejo tropical	330
<i>Sylvilagus floridanus</i> (J. A. Allen, 1890)	Eastern/Florida Cottontail	Conejo serrano	183, 202
<i>Sylvilagus</i> sp Gray, 1867	Rabbits	Conejo	27, 107, 136, 176, 178, 183, 213, 215, 242, 297, 393, 427, 431, 547, 548, 550, 551
<i>Synallaxis albescens</i> Temminck, 1823	Pale-Breasted Spinetail	Cola espino pecho blanco/pijuí plomizo	506
<i>Tadarida brasiliensis</i> (I. Geoffroy, 1824)	Brazilian Free- Tailed Bat	Murciélagos cola suelta brasileño	587
<i>Tapirus bairdii</i> (Gill, 1865)	Baird's Tapir	Tapir	203, 247, 297, 324
<i>Tayassu pecari</i> (Link, 1795)	White-Lipped Peccary	Pecari labios blancos	203, 218, 426, 431
<i>Tayassu tajacu</i> <Invalid synonym, see <i>Pecari tajacu</i> >			426
<i>Tellina</i> sp Linnaeus, 1758	Tellins	Tellinas	472
<i>Terebra</i> sp Bruguiere, 1789	Augers	Terebra	472
<i>Terrapene carolina</i> Linnaeus, 1758	Common/Eastern Box Turtle	Tortuga de carolina	109, 121, 297, 298
<i>Terrapene</i> sp (Merrem, 1820)	Box Turtles	Tortuga de caja	206, 429

Scientific Name	Common English Name	Common Spanish Name	Page Citations
Testudines, Order	Turtle and Tortoises	Tortugas y galápagos	108, 176, 179, 247, 298, 305, 360, 374, 392, 407
<i>Thais kiosquiformis</i> (Duclos, 1832)	Rock Snail	Perforador de ostras	450, 451, 455, 456, 462, 463, 475
<i>Theobroma cacao</i> , L.	Cacao	Cacao	8, 409, 421
<i>Thoracica</i> sp Darwin, 1854	Barnacle	Percebe	465, 474
<i>Tivela</i> sp Link, 1807	salt water venus clams	Almeja pismo	450, 455, 473
Tlalchichi <breed name, see <i>Canis lupus familiaris</i> >	Short Legged/Floor Dog	Tlalchichi	44–45, 570, 574
<i>Tonatia evotis</i> Davis and Carter, 1978	Davis's Round-Eared Bat	Murciélagos oreja redonda mesoamericano	587
<i>Trachemys scripta</i> (Schoepff, 1792)	Common Slider	Tortuga jicotea	109, 297, 298, 360, 365, 405
<i>Trichechus manatus</i> Linnaeus, 1758	West Indian Manatee	Manatí del Caribe	107, 116, 119, 200, 203, 247
<i>Tringa semipalmata</i> (Gmelin, 1789)	Willet	Playero aliblanco / Pihuihui	496, 511
<i>Tringa solitaria</i> Wilson, 1813	Solitary Sandpiper	Playero solitario	507, 517
<i>Tringa</i> sp Linnaeus, 1758	Tringine Sandpiper	Playero canuto/ playero rojo/ playero rufo	487, 496, 503, 511
Trochilidae, Family	Hummingbirds	Chupamirtos/ colibrís	521
<i>Tursiops truncatus</i> (Montagu, 1821)	Atlantic Bottle-Nosed Dolphin	Delfín tonina/pez mular	502
<i>Tyrannidae</i> sp	Tyrant Flycatchers	Espatuilla común	491
<i>Tyrannus savanna</i> Vieillot, 1808	Fork-Tailed Flycatcher	Tijera sabanera/ tirano tijereta gris	506
<i>Tyto alba</i> (Scopoli, 1769)	Common Barn-Owl	Lechuza común/ lechuza de campanario	176, 490, 498, 513

<i>Urocyon cinereoargenteus</i> (Schreber, 1775)	Gray Fox	Zorra gris	176, 179, 202, 393
<i>Uropelia campestris</i> (Spix, 1825)	Long-Tailed Dove	Paloma cola larga	519
Vertebrata, Subphylum	Vertebrates	Vertebrados	106, 118, 120, 361, 374, 393
<i>Vinca major</i> L.	Periwinkle	Cielo azul	473
Xoloitzcuintli <breed name, see <i>Canis lupus familiaris</i> >	Mexican hairless dog/Xolo/ Michoacan dog	Xoloitzcuintli	30, 43, 82, 141, 142, 143
<i>Zea mays</i> L.	Corn/Maize	Maiz	158, 420, 493, 504
<i>Zenaida asiatica</i> (Linnaeus, 1758)	White-Winged Dove	Paloma ala blanca	176, 489, 497, 512
<i>Zenaida macroura</i> (Linnaeus, 1758)	Mourning Dove	Huilota/paloma huilota/paloma lúgubre	86, 92, 489, 497, 512, 520
<i>Zenaida</i> sp Bonaparte, 1838	Doves	Palomas, torcacicas y tocazas	489, 497, 503, 506, 512, 549, 551